

# Molteni & C

## LISE — CHRISTOPHE DELCOURT 2025

1—  
3



The Lise table is characterized by a strong sculptural presence. The harmony of forms is elegantly expressed by the two opposing, curved base structures that intertwine, reaching upwards with grace. Made of rigid polyurethane, the shapes of the base can be finished with a high-gloss lacquered finish or covered with a sheet of polished steel. The top is available in wood with a glossy lacquered rim or in rich marble with a glossy steel rim. The finish of the rim is consistently mirrored in the base, creating a material continuity between the top and base, giving Lise a distinctive aesthetic.

### DATASHEET

REGISTERED  
DESIGN

2026

[moltenigroup.com](http://moltenigroup.com)

Dimensions in centimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## FINISHES

### GLOSSY LACQUERED STRUCTURE AND EDGE WITH WOOD TOP

Glossy lacquered colours	Woods
forest green	coffee oak
dark blue gray	black oak
oz yellow	sunrise oak
burgundy red	
pewter colour	
cappuccino	
sand	

## Molteni & C

2—  
3

### STRUCTURE AND SHINY STEEL FRAME WITH STONE OR WOOD INSERT

Marbles (Cat. M1)	Marble (Cat. M7)	Woods
white carrara	breccia capraia	coffee oak
black marquina		black oak
silver wave		sunrise oak
green alpine	quartzite	
	avocadus green	

#### Marbles (Cat. M5)

red lepanto  
calacatta  
maldive white

### TECHNICAL INFORMATION

#### GLOSSY LACQUERED STRUCTURE AND EDGE WITH WOOD TOP VERSION

##### LEGS

Rigid polyurethane from mould painted with glossy lacquer with metal insert.

##### TOP SUPPORT

Painted steel sheet. Only for W 350 steel tubulars.

##### TOP

Medium-density fibreboard panel covered with oak veneer (Quercus). Glossy lacquered edge.

##### ADJUSTABLE FEET

Metal with non-slip plastic tips.

#### STRUCTURE AND SHINY STEEL FRAME WITH STONE OR WOOD INSERT VERSION

##### GAMBE

Rigid polyurethane from mould with metal insert painted on the inside part and covered with shiny steel sheets.

##### TOP SUPPORT

Painted steel sheet. Only for W 350 steel tubulars.

##### UNDERTOP

Black melamine medium density fibreboard panel.

##### INSERT


Stone or marble with water-repellent stain-resistant treatment or medium-density fibreboard panel covered with Oak wood veneer (Quercus).

##### FRAME

Shiny stainless steel.

##### ADJUSTABLE FEET

Metal with non-slip plastic tips.



DATASHEET


REGISTERED  
DESIGN

2026


## DIMENSIONS

glossy lacquered structure and edge with wood top tables

LT25/11



LT29/12




**Molteni & C**

glossy lacquered structure and edge with wood top tables


LT35/12

3—  
3




structure and shiny steel frame with stone or wood insert

LT25/11




LT29/12



structure and shiny steel frame with stone or wood insert

LT35/12



single insert  
for wood

## DATASHEET

REGISTERED  
DESIGN

2026