

GLISS MASTER — VINCENT VAN DUYSSEN 2015

1—
67



Gliss Master develops the concept of storage and space organisation. This approach permits maximum uniqueness and customisation. It is a tailor-made design for a wide range of doors, accessories and finishes, which creates systems adapted to individual needs. The Gliss Master range can be combined with accessories and different finishes, drawing on the components of each series to create exclusive solutions. The 2023 collection includes two new doors - Linear by Vincent Van Duysen and Blend by Rodolfo Dordoni, and a new set of accessories and interior customisations. It is a system that reflects the importance of a tailor-made approach for Molteni&C.

DATASHEET

REGISTERED
DESIGN

2025

FINISHES

| Finishes | | melamine structure | piqué melamine | fine grain | melamine front | matt lacquer colours | 3D matt lacquer colours | lunar | glossy lacquer colours | glaze | woods | pewter colour/bronze/iris | Eco Skin | BLEND fabric | coloured glass/etched coloured glass/mirror | glasses (see finishes) | 3D etched bronze glass |
|--|---------------|--------------------|----------------|------------|----------------|----------------------|-------------------------|-------|------------------------|--------------------|-----------------|---------------------------|----------|--------------|---|----------------------------|------------------------|
| components | | | | | | | | | | | | | | | | | |
| linear module and corner module | base/lid | ● | | | | | | | | | | | | | | | |
| | back panel | ● | ● | ● | | ● | | | | | ● | | | ● | | ● only linear | |
| wooden central partition | | ● | | | | | | | | | | | | | | | |
| wooden external side panel | | ● | | | | ● | | | ● | | ● | | | | | | |
| extension profile | | | | | | ● | | | ● | | ● | ● | | | | | |
| central partition or side panel frame or glass | frame | | | | | | | | | | | ● | | | | | |
| | glass | | | | | | | | | | | | | | | ● central only transparent | |
| FIND-ME door | finger recess | | | | | ● | | | ● | | | ● | | | | | |
| | panel | | | | | ● | ● | ● | ● | ● | ● | | | | | | |
| QUICK door | | | | | ● * | | | | | | | | | | | | |
| START door | | | | | ● | ● | ● | | ● | ● only hinged door | ● | | | | | | |
| "A FILO" door | | | | | ● | ● | ● | | ● | ● only hinged door | ● | | | | | | |
| "A FILO" glass door | profile | | | | | | | | | | | ● | | | | | |
| | glass | | | | | | | | | | | | | | ● | | |
| BAMBOO door | profile | | | | | | | | | | | ● | | | | | |
| | panel | | | | | | | | | | | | ● | | | | |
| SMOOTH door | profile | | | | | | | | | | | ● | | | | | |
| | panel | | | | | | | | | | | | ● | ● | | | |
| HOLLOW door | | | | | | ● | | | ● | ● only hinged door | ● | | | | | | |
| BLADE sliding door | | | | | | ● | | | ● | | ● | | | | | | |
| GRIP door | | | | | | ● | | | ● | | ● | | | | | | |
| NICHE door | | | | | | | | | ● | | ● only vertical | | | | | | |
| GLASS door | profile | | | | | | | | | | | ● | | | | | |
| | glass | | | | | | | | | | | | | | | ● | |
| SISTEMA 7 wood | | | | | | ● | | | ● | | ● | | | | | | |
| SISTEMA 7 glass | profile | | | | | | | | | | | ● | | | | | |
| | glass | | | | | | | | | | | | | | | ● | |
| LINEAR door | | | | | | ● | ● | ● | | | | | | | | | |
| LINEAR glass door | profile | | | | | | | | | | | ● | | | | | |
| | glass | | | | | | | | | | | | | | | ● excluding net | ● |
| BLEND door | door profiles | | | | | ● | | | | | ● | | | | | | |
| | door panel | | | | | ● | | | | | | | | ● | | | |
| | drawer front | | | | | ● | | | | | ● | | | | ● only mirror | | |
| | top | | | | | ● | | | | | ● | | | | | | |

★ with handle and extension profiles
side matched as per the table
(see p. 62 price list)

FINISHES

| Finishes | | melamine structure | piqué melamine | melamine structure | Eco Skin pewter colour/bronze/iris profile | fine grain pewter colour/bronze/iris profile | pewter colour/bronze/iris | transp. glass | grey saffiano melamine | larix dark/ silver cembran/ light chestnut and dark chestnut | matt lacquer colours | woods | BLEND fabric |
|--|---------|--------------------|----------------|--------------------|--|--|---------------------------|---------------|------------------------|--|----------------------|-------|--------------|
| internal fittings | | | | | | | | | | | | | |
| shelf | | ● | | ● | ● | | | | | | ● | ● | |
| wooden drawer fronts H 126/190/382 | | ● | ● | | | ● | | | | | ● | ● | ● |
| tray front (trouser holders/trinket trays) | | ● | ● | | | ● | | | | | ● | ● | ● |
| front for open drawers /pull-out trays | | ● | ● | | | | | | | | ● | ● | |
| glass drawer fronts/ | profile | | | | | | ● | | | | | | |
| glass shelf | glass | | | | | | | ● | | | | | |
| drawer internal | | | | | | | | | ● | | | | |
| central dividing panels | | ● | | ● | | | | | | | ● | ● | |
| sweater and shirt holder module | | ● | | | | | | | | | | | |
| SOFT LINE internal fittings | | | | | ● | | | | | | | | |
| island drawer unit | | | | | | | | | | ● | ● | | |
| drawer unit | | | | | | | | | | ● | ● | | |
| Island with glass top | | | | | | | | | | ● | ● | | |

| colours | Melamine structure | Matt lacquer | Woods | Eco Skin | Glasses | BLEND fabric |
|---------|---------------------------|-----------------------|-----------------|------------|---------------------|--------------|
| | YM larix dark | 3D matt lacquer | EU eucalyptus | grey | transparent | bark brown |
| | YA silver cembran | Glossy lacquer | RF graphite oak | mink | smoked | moss green |
| | WW white | Coloured glass | | hemp | stopsol transparent | olive green |
| | QC light chestnut | Etched coloured glass | | ivory | stopsol silver | oxide orange |
| | QS dark chestnut | BC chalk white | | dark brown | stopsol bronze | vanilla |
| | QA ivory tatami | PE pearl | | earth | stopsol etched | |
| | QG grey tatami | DN dune | | arctic | stopsol net | |
| | | PL platinum | | taupe | | |
| | Melamine front | NE black | | | | |
| | KA cartapaglia anthracite | AT anthracite | | | | |
| | KB cartapaglia white | SE mustard | | | | |
| | KS cartapaglia silica | SI silica | | | | |
| | ZB silk chalk white | DO dolomite grey | | | | |
| | ZS silk silica | AL clay | | | | |
| | ZT silk dove grey | MK moka | | | | |
| | QC light chestnut | CZ light blue grey | | | | |
| | QS dark chestnut | SA sand | | | | |
| | QA ivory tatami | RU ruby | | | | |
| | QG grey tatami | PX pewter colour | | | | |
| | | RX copper | | | | |
| | | TO dove grey | | | | |
| | | PR petroleum blue | | | | |
| | | BG burgundy | | | | |
| | | LS london sky | | | | |
| | | SU stardust | | | | |
| | | ML moonlight | | | | |
| | | SP spice | | | | |
| | | PG pine green | | | | |
| | | AW almond white | | | | |
| | | CP cappuccino | | | | |
| | | IX iris | | | | |
| | | FG forest green | | | | |
| | | DB dark blue gray | | | | |
| | | OY oz yellow | | | | |

TECHNICAL INFORMATION

STRUCTURE

BASE
Chipboard panel covered in melamine facing with adjustable feet for free-standing support.

LID, CENTRAL PANEL AND BACK
Chipboard panel covered in melamine facing. Central panels have adjustable feet for free-standing support.

FINE GRAIN BACK PANEL
Chipboard panel covered in co-extruded ABS-PMMA cylinder-etched sheet, painted in a specific Molteni finish.

WOOD BACK PANEL
Chipboard panel covered in wood veneer in Oak (Quercus) or Eucalyptus (Eucalyptus globulus).

BACK, LID, SIDE AND CENTRAL PANELS (GLASS)
Perimeter frame in painted extruded aluminium with 4 mm thick tempered glass. Available in different finishes.

SIDE PANEL (MELAMINE-FACED)
Chipboard panel covered in melamine facing. Adjustable feet for free-standing support.

SIDE PANEL (MATT LACQUERED COLOURS OR GLOSSY COLOURS)
Chipboard panel covered in melamine facing. Exterior painted in the "Molteni Range" colours. Adjustable feet for free-standing support.

SIDE PANEL (WOOD)
Chipboard panel covered in melamine facing on the inside, and Oak (Quercus) or Eucalyptus wood (Eucalyptus Globulus) veneer on the outside. Adjustable feet for free-standing support.

CENTRAL PANEL FRAME
Perimeter frame in painted extruded aluminium.

COVER PROFILES AND RUNNERS
Extruded aluminium covered in melamine paper or painted, with dust protection profiles.

SIDE PANEL EXTENSION PROFILES
Anodised extruded aluminium, painted in the "Molteni Range" colours or covered in Oak or Eucalyptus wood veneer.

DOORS

MELAMINE (QUICK - START - "A FILO" - HOLLOW - BLADE - GRIP)
Chipboard panel covered in melamine facing. Soft-close hinges and slide system. Handles in different materials and finishes.

MATT LACQUERED COLOURS, GLOSSY COLOURS OR GLAZE (FIND-ME - START - "A FILO" - HOLLOW - BLADE - GRIP - NICHE - BLEND - LINEAR - SISTEMA 7 WOOD)
Chipboard panel covered in wood veneer or melamine facing, painted in the "Molteni Range" colours. Soft-close hinges and slide system. Handles in different materials and finishes. For the BLEND model, the panel is profiled with painted extruded aluminium.

WOOD (FIND-ME - START - "A FILO" - HOLLOW - BLADE - GRIP - NICHE - SISTEMA 7)
Chipboard panel covered in Oak or Eucalyptus wood veneer. Handles in different materials and finishes.

HINGED GLASS DOOR ("A FILO")
Chipboard panel covered in melamine facing, with mirror or 4 mm thick glass applied, painted in the "Molteni Range" colours. Perimeter profile in anodised extruded aluminium. Soft-close hinges.

SLIDING GLASS DOOR ("A FILO")
Frame in anodised extruded aluminium with mirror or 4 mm thick glass applied, painted in the "Molteni Range" colours. Soft slide system.

GLASS FLUSH SLIDING DOOR ("A FILO")
Frame in anodised extruded aluminium with mirror or 4 mm thick glass applied, painted in the "Molteni Range" colours. Soft slide system.

GLASS / SISTEMA 7 GLASS DOORS
Extruded aluminium frame with 4 mm thick glass, available in various finishes. Hinges with 180° opening, for swing doors. Patented folding mechanism for SISTEMA 7.

LINEAR GLASS DOORS
Extruded aluminium frame with 4 mm thick glass, available in various finishes. Hinges with 94° opening.

SMOOTH DOORS
Chipboard panel covered in melamine facing. Interior and exterior Eco Skin finish.

SISTEMA 7 WOOD DOOR
Honeycomb panel painted in the "Molteni Range" colours or covered in Oak or Eucalyptus wood veneer. Handle in painted extruded aluminium. Hinges with 180° opening for swing doors. Patented folding mechanism.

BAMBOO DOORS
Chipboard panel covered in melamine facing. External finish, doors quilted externally in Eco Skin. Perimeter profiles in painted extruded aluminium.

BLEND - SMOOTH FABRIC DOORS
Chipboard panel covered in melamine facing. Interior and exterior fabric finish.

DATASHEET

REGISTERED
DESIGN

2025

TECHNICAL INFORMATION

INTERNAL ACCESSORIES

REMOVABLE SHIRT RACK BLOCK

Painted parts in phenolic veneer panel. Front tray made from chipboard panel covered in melamine facing. Bottom covered in eco leather.

DRAWER UNIT STRUCTURE FOR FRAME PANELS

Chipboard panel with melamine facing, painted in a specific Molteni finish.

INTERNAL SHELVES, DRAWER OR TRAY FRONT, MOVABLE TRAY BLOCK AND JUMPER AND SWEATER AND SHIRT RACK

Chipboard panel covered in melamine facing.

INTERNAL SHELVES WITH FRONT PROFILE

Chipboard panel covered in melamine facing, front profile in painted extruded aluminium.

INTERNAL SHELVES AND ISLAND TOPS IN ECO SKIN

Chipboard panel covered in melamine facing, front profile in painted extruded aluminium and upper cover in eco leather.

WOOD SHELVES

Chipboard panel covered in wood veneer in Oak (Quercus) or Eucalyptus (Eucalyptus globulus).

CLOTHES ROD

Tube in anodised aluminium. Rod support bracket in chromed plastic or Eco Skin version.

GLASS FRONT, GLASS SHELVES AND ISLAND TOP

Extruded or painted aluminium. Tempered glass th. 4 mm.

FINE GRAIN FRONT

Chipboard panel covered in co-extruded ABS-PMMA cylinder-etched sheet, painted in a specific Molteni finish. Perimeter profile in painted extruded aluminium.

WOOD FRONTS

Chipboard panel covered in wood veneer in Oak (Quercus) or Eucalyptus (Eucalyptus globulus).

INTERNAL DRAWER SIDES, TRAY, DRAWER DIVIDERS, AND LINEN TRAY

Chipboard panel covered in melamine facing.

INTERNAL DRAWER BOTTOM AND TRAY

Chipboard panel covered in melamine facing.

SHOE SHELF PROFILES AND TROUSER BARS

In anodised or painted extruded aluminium.

PULL-OUT MIRROR

Metal frame with 4 mm thick mirror.

HANDLES AND VARIOUS ACCESSORIES

Made with different materials and finishes.

WOOD BASE, TOP AND SHELVES (ISLAND WITH GLASS DOORS)


Chipboard panel covered in Oak or Eucalyptus wood veneer.

IONIZER


See technical data sheet enclosed with the product.

LAUNDRY BAG


100% removable ecru cotton fabric. Follow the washing instructions on the label.



- 1** Cover
- 2** Base unit
- 3** Central panel
- 4** Side panel
- 5** Extension profile
- 6** Back panel
- 7** Cover profile or bottom rail
- 8** Cover profile or top rail
- 9** Shelf th. 30
- 10** Clothes rod
- 11** Shoe shelf
- 12** Drawers
- 13** Trouser- trinket tray
- 14** Sweater and shirt rack module
- 15** Pull-out mirror
- 16** Pull-out shirt rack block



- 17** Glass side panel
- 18** Glass central panel
- 19** Frame central panel
- 20** Drawer unit structure
- 21** Glass back panel



DATASHEET

REGISTERED
DESIGN

2025

MODULARITY

Modularity - Structure

The widths 492 - 656 - 820 - 984 - 1312 - 464 (term. element) mm (19 3/8" - 25 7/8" - 32 1/4" - 38 3/4" - 51 5/8" - 18 1/4") include the left side panel. The total width of the composition will include the final panel of th. 30 mm (1 1/8").

Heights:
tot. H 2343 (92 1/4"), door 2313 (91"), int. 2253 (87 3/4"), sliding or flush sl. door inter. 2163 (85 1/8")
tot. H 2439 (96"), door 2409 (94 7/8"), int. 2349 (92 1/2"), sliding or flush sl. door inter. 2259 (88 7/8")
tot. H 2631 (103 5/8"), door 2601 (102 3/8"), int. 2541 (100"), sliding or flush sl. door inter. 2451 (96 1/2")

tot. H 2919 (114 7/8"), door 2889 (113 3/8"), interior 2829 (111 3/8"), only hinged


Assembly instructions

For the assembling of a sliding and a flush sliding door wardrobe a minimum space of 6 cm (2 3/8") is required considering the minimum height of the compartment.

Assembly of the corner element (for wardrobe with doors) requires a minimum extra height of 6 cm (2 3/8").

Assembly of a wardrobe in an alcove requires a minimum extra side space of 4 cm (1 5/8"). This space can be reduced to 15 mm by using special hardware provided on request for the side compartment. Surcharge per compartment.
This hardware may only be applied if there are open compartments, hinged doors (excluding SISTEMA 7) and wooden side panels.

Assembly of a hinged wardrobe requires a minimum height clearance of 1.5 cm, which varies with:
- SISTEMA 7 hinged doors → 5 cm
- LED lighting with 'Smart' vertical bars → 3.5 cm
- LED lighting with horizontal bars → 2.5 cm
The minimum height drops to 1.5 cm if the compartment housing the lighting components, is fitted with inspection on top cod. **PAISPC01** (see price list page 33).



| | | | |
|--------------|-------------|----------------------------|--|
| 1670 78 1/4" | | 1640 + right side panel 30 | |
| 820 32 1/4" | 820 32 1/4" | | |
| 984 38 3/4" | 656 25 7/8" | | |

| | | | |
|--------------|-------------|----------------------------|--|
| 1834 72 1/4" | | 1804 + right side panel 30 | |
| 984 38 3/4" | 820 32 1/4" | | |
| 1312 51 5/8" | 492 19 3/8" | | |

| | | | |
|--------------|-------------|----------------------------|--|
| 1998 78 1/4" | | 1968 + right side panel 30 | |
| 984 38 3/4" | 984 38 3/4" | | |
| 1312 51 5/8" | 656 25 7/8" | | |

| | | | |
|--------------|-------------|----------------------------|--|
| 2162 85 1/4" | | 2132 + right side panel 30 | |
| 984 38 3/4" | 656 25 7/8" | 492 19 3/8" | |
| 820 32 1/4" | 820 32 1/4" | 492 19 3/8" | |

| | | | |
|--------------|-------------|----------------------------|--|
| 2326 91 1/4" | | 2296 + right side panel 30 | |
| 1312 51 5/8" | 984 38 3/4" | | |
| 820 32 1/4" | 820 32 1/4" | 656 25 7/8" | |

| | | | |
|--------------|-------------|----------------------------|--|
| 2490 98" | | 2460 + right side panel 30 | |
| 984 38 3/4" | 984 38 3/4" | 492 19 3/8" | |
| 1312 51 5/8" | 656 25 7/8" | 492 19 3/8" | |
| 820 32 1/4" | 820 32 1/4" | 820 32 1/4" | |

| | | | |
|---------------|--------------|----------------------------|-------------|
| 2654 104 1/2" | | 2624 + right side panel 30 | |
| 1312 51 5/8" | 1312 51 5/8" | | |
| 984 38 3/4" | 984 38 3/4" | 656 25 7/8" | |
| 492 19 3/8" | 820 32 1/4" | 820 32 1/4" | 492 19 3/8" |

| | | | |
|-------------|-------------|----------------------------|-------------|
| 2818 111" | | 2788 + right side panel 30 | |
| 656 25 7/8" | 984 38 3/4" | 492 19 3/8" | 656 25 7/8" |
| 984 38 3/4" | 820 32 1/4" | 984 38 3/4" | |

| | | | |
|---------------|-------------|----------------------------|--|
| 2982 117 3/4" | | 2952 + right side panel 30 | |
| 984 38 3/4" | 984 38 3/4" | 984 38 3/4" | |

| | | | |
|---------------|--------------|----------------------------|-------------|
| 3146 123 1/8" | | 3116 + right side panel 30 | |
| 1312 51 5/8" | 1312 51 5/8" | 492 19 3/8" | |
| 820 32 1/4" | 820 32 1/4" | 820 32 1/4" | 656 25 7/8" |

| | | | |
|---------------|--------------|----------------------------|-------------|
| 3310 130 1/4" | | 3280 + right side panel 30 | |
| 820 32 1/4" | 820 32 1/4" | 820 32 1/4" | 820 32 1/4" |
| 656 25 7/8" | 1312 51 5/8" | 1312 51 5/8" | |

| | | | |
|---------------|-------------|----------------------------|-------------|
| 3474 136 1/4" | | 3444 + right side panel 30 | |
| 984 38 3/4" | 492 19 3/8" | 984 38 3/4" | 984 38 3/4" |
| 1312 51 5/8" | 820 32 1/4" | 1312 51 5/8" | |

| | | | |
|---------------|--------------|----------------------------|-------------|
| 3638 143 1/4" | | 3608 + right side panel 30 | |
| 984 38 3/4" | 984 38 3/4" | 984 38 3/4" | 656 25 7/8" |
| 984 38 3/4" | 820 32 1/4" | 820 32 1/4" | 984 38 3/4" |
| 1312 51 5/8" | 1312 51 5/8" | | 984 38 3/4" |

| | | | |
|---------------|--------------|----------------------------|-------------|
| 3802 149 3/4" | | 3772 + right side panel 30 | |
| 1312 51 5/8" | 984 38 3/4" | 984 38 3/4" | 492 19 3/8" |
| 656 25 7/8" | 1312 51 5/8" | 1312 51 5/8" | 492 19 3/8" |

| | | | |
|---------------|--------------|----------------------------|-------------|
| 3966 156 1/4" | | 3936 + right side panel 30 | |
| 1312 51 5/8" | 1312 51 5/8" | 1312 51 5/8" | |
| 984 38 3/4" | 984 38 3/4" | 984 38 3/4" | 984 38 3/4" |


DATASHEET

REGISTERED
DESIGN

DOORS

START-HOLLOW hinged doors


applicable only on structures
with wood sides



The pairs of hinged doors START
and "A FILO" always have a handle
mounted on the right door.


FIND-ME-QUICK—"A FILO"—BAMBOO hinged doors

applicable only on structures
with wood sides




GRIP-BLEND hinged doors

applicable only on structures
with wood sides



NICHE doors


applicable only on structures
with wood sides



In the pairs of hinged doors
W 815, 979 and 1307, are
available 2 handles
or handle only on right
door.

LINEAR door


applicable only on structures
with wood sides



Hinged LINEAR doors
are made with hinges
concealed in the
side panels




GLASS-SISTEMA 7 doors, th 35

applicable on all types
of structures



GLASS doors
are made with
180° hinges
built into the side
(a Molteni exclusive)


Sliding doors




It is possible to make sliding door wardrobes
with doors of the following types:

- QUICK
- START
- "A FILO"
- GRIP
- BLADE

It is possible to make the external
sliding door with two handles if
using the QUICK, "A FILO" or
BLADE door (full-height handle)
and applying the surcharge






Detail of side panel with extension profile



with BLADE door

Flush sliding doors



DATASHEET

REGISTERED
DESIGN

2025


DOORS

155° opening (only for compartments with wooden sides)

On FIND-ME - QUICK - START - “A FILO” - BAMBOO - HOLLOW - GRIP - NICHE - BLEND doors it is also possible to use 155° opening hinges, with an extra charge per individual door. In this case, it is necessary to take special care in inserting internal drawer units, trinket trays and devices.


155° hinges cannot be used on ‘A FILO doors (mirror and glass) with width over W 487.

It is also necessary to comply with the diagrams provided here.



Hinged doors with key lock

For the hinged doors specified, a key lock can be fitted to order. The additional cost for one or two doors. It can even be fitted on a terminal element or a corner element (in compliance with the handle installation rules). For doors with a lock, the internal drawer units must be suspended. Installation of only the lock can be requested, without a handle, always considering the price of the START doors and the additional cost of the lock. For LINEAR doors, see page 102 price list because they have special locks.



SISTEMA 7

A new folding opening system with a patented mechanism which makes it possible, in the 180° version, to open the unit entirely.
The mechanism, light and silent, does not require tracks and therefore allows use of the full height.

The hinged doors enable 180° opening and wardrobe width made to order; the special hinge pins are anchored to the base and the cover.

Anyhow, SISTEMA 7 hinge doors can be used (see p. 14/15 price list).

The 90° opening, on the other hand, is an intermediate solution that can solve design problems while maintaining a uniform design.

The thickness of the wood and glass door are 35 mm.

SISTEMA 7 can be applied to all Gliss Master structures with wood, glass or frame sides, but cannot be used with other Gliss Master doors.

The 90° and 180° folding door is applied to modules with width 790 and 954, while the hinged door is applied to single modules 380/462/626, double modules 790/954/1282 and the corner unit (see pag. 16 price list).

The 380 mm unit is specific for SISTEMA 7 with hinged door.

Reductions

90° and 180° folding openings can be reduced in height only.

180° hinged openings can be reduced in height and in width up to 405 mm.

Notes



The side panels follow the same logic as Gliss Master (see drawing ●).

Molteni & C

9—
67



★ = 180° Hinged (necessary for 180° opening and for wardrobes with width made to order)

90° Folding opening





If the 90° folding door is on an end unit with external door, provide filler:
50 mm (790 compartment)
120 mm (954 compartment)





180° Folding opening



Mixed 90° / 180° Folding openings




180° Corner opening



wooden
side panels
(●)

glass
side panels
(●)



DATASHEET

REGISTERED
DESIGN

2025

moltenigroup.com

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

CORNER ELEMENT

Open corner element P 595

The open corner element is supplied complete with base, top and backs.
The melamine-faced, frame or glass central partitions must be inserted between the corner element and the adjacent modules.
The open corner element can also receive a side panel to close the composition.

Doors can be applied to the open corner element by following the rules below:
- GLASS door (180°) on corner element 1282x1282 / 1101x1101 with all types of side panels (wood, frame or glass);
- SISTEMA 7 door (180° hinged and 180° folding) only on corner element 1101x1101 with all types of side panels;
- QUICK and "A FILO" door (155°) only on corner element 1101x1101 with wooden side panels.
- LINEAR door only on corner element 1101x1101 with wooden side panels.
Compartments adjacent to the corner element can be either open or closed with the same door model.


Notes

The shelf is not included in the price of the corner element.
LED lighting bars can be applied to the shelves and lids, as shown in the drawing below.
Not possible with glass back panels.



Reductions

The corner element can be reduced in height, width and depth.
Width reduction can only be performed on one side or on both sides up to a minimum width of 1101 mm.
See method on price list page 32

Depth reduction can be performed on either one or two sides up to a minimum depth of 435 mm. If only one side is reduced, it will be the one with the longer shelves (*).




Solution with GLASS door




Solutions with SISTEMA 7 (only for corner element 1101x1101)


180° folding



180° hinged






Solution with QUICK, "A FILO" and LINEAR doors* (only for corner element 1101x1101)




* LINEAR glass opens 180°

The corner element can be fitted with shelves and clothes rails, or with this solution of drawer units that have a central partition H 1158 where the desired drawer unit can be inserted. The drawer unit can be with fronts W 420 or 584.



No type of drawer unit can be inserted with frame or glass sides

Placing LED lighting bars




STRUCTURE

Structure for walk-in closet

In version **A**, the structure (base, cover, centre and side panels) has melamine facing in the same finish as the structure.
The back panel can be made in the finishes on the price list (see price list page 8).
The side panels are always provided without extension profile (see detail).
In version **B**, the central partitions and sides are made with an aluminium frame with pewter colour, bronze or iris finish, with or without glass.
Base, lid and back piece are in melamine, in the same finish as the structure.
The back panel can be made in the finishes on the price list (see price list page 8).
Horizontal tags on the base and lid are made in a pewter colour, bronze or iris finish like the side frames.
In version **C**, given the presence of frame sides in pewter colour finish, the central and side partitions in melamine are also made with from tags in pewter colour, bronze or iris, considering the specific price.

Reductions
See procedures on price list page 32.

- ** Notes**
The central melamine sides with front profile, frame and glass are available with an Eco Skin insert, only for use in walk-in closets
- *** Glass back panel (H max 2631) not available in the linear compartment W 1282 and in the corner element



STRUCTURE

Linear modules

Linear modules are made up of a base and lid always made in melamine in the same finish as the structure.

The back is available in the three versions indicated below.

A1 and **A2** can be reduced in height, width and depth if closed by sides and doors that are compatible with the requested reductions.

A3 can be reduced only in height.

Central partitions

These are available in melamine, in the same finishes as the structure, frame and glass.

The melamine version can be reduced in height and depth.

The frame and glass versions can be reduced only in height.

Compartments with frame or glass sides must always include a shelf or a drawer unit.

A version with an Eco Skin insert is available for use in walk-in closets.

Side panels

These are available in melamine, in the same finishes as the structure, frame and glass.

The melamine version can be reduced in height and depth.

The side exterior is available also in matt lacquer, glossy lacquer or wood finish (vertical grain), as shown on p. 8 price list.

The standard finish on side panels is an extension profile in the coloured matt lacquer, pewter colour, bronze, iris (to be specified in the Order). The extension profiles for glossy lacquer or wood side panels always match the side panels of the same finish.

The frame and glass versions can be reduced only in height.

Compartments with frame or glass sides must always include a shelf or a drawer unit.


Reductions

See procedures on page 32 price list.

Molteni & C

12—
67


A1 - Melamine back



A1

Base, lid and back made in melamine finish matching the structure. The back is available also in piqué


A2 - Back in fine grain, matt lacquered colours, wood or BLEND fabric



A2

Base and lid made in melamine finish matching the structure. Back in fine grain, matt lacquered colours wood or BLEND fabric.

A3 - Glass back (only hinged GLASS, closet and SISTEMA 7 glass)




A3

Base and lid made in melamine finish matching the structure. It is possible to produce single finished modules W 790/954 with lateral pieces in glass by using the glass lids (see p. 57 price list)

Central partitions, th 30

Warning:

frame sides and glass sides will only have holes at the position of the shelves. Complete hole series at regular intervals 96 mm will involve an extra charge per side.



DATASHEET

REGISTERED
DESIGN

2025

TWO-SIDED CORNER WARDROBE COMPOSITIONS WITH OUTWARD SWING DOORS


Many of the solutions described below can be created with Gliss Master.
These layouts can be installed either with or without the external corner module.

** For this side, please consider the wooden side panel surcharge.


Molteni & C

13 —
67


Solution A:
Outward swing doors
(NO glass back panels)




Solution B:
Outward swing door + Walk-in Closet
(NO glass back panels)



Solution C:
Outward swing door + Inward swing door
(example with glass back panels)



Solution D:
Outward swing door + Inward swing door
(example with rear finishing panel)



* This compartment can be closed with a QUICK, "A FILO" and NICHE door (vertical and horizontal).
For glass backs, drawer units are mandatory for compartments with frame or glass sides.
For melamine structure, piqué, matt lacquered colours, wood or fine grain backs, use drawer units that are narrower than the module.

DATASHEET

REGISTERED
DESIGN

2025

moltenigroup.com

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

EXTERNAL CORNER UNIT

External corner unit

- It can be either open or fitted with doors.
- It is always secured to the melamine central partitions of the adjacent wardrobes.
- The front profile can have a matt lacquered, pewter colour, bronze and iris finish.
- Height, width and depth can be reduced.
- The external corner unit can be closed in all hinged door models.


Reductions

The external corner unit can be reduced in height, width and depth.


* For this side, please consider the wooden central partition surcharge.

Molteni & C


14—
67




Solution A:
with Doors




Solution C:
Doors and Walk-in Closet



Solution B:
Walk-in Closet



Solution D:
Doors and Walk-in Closet



DATASHEET

REGISTERED
DESIGN

2025

WARDROBE REDUCTIONS

Structure reductions

| Type of reduction | height | width | depth |
|---|----------------|---------------------------|--|
| Linear modules D 595 mm <small>melamine, fine grain, matt lacquered colours, woods, BLEND fabric back</small> | per millimetre | per millimetre | min -20 mm max -256 wardrobe / flush sliding ward. max -160 mm |
| Linear modules D 595 mm glass back | per millimetre | no reductions | no reductions |
| Linear modules D 595 mm for BLEND drawers | no reductions | no reductions | no reductions |
| Linear elements D 435 mm | per millimetre | per millimetre | min -20 mm max -96 mm |
| Corner element for wardrobe with doors | per millimetre | no reductions | no reductions |
| Open corner element | per millimetre | 1 side up to 1101 x 1282 | 1 side up to mm 435 (see note page 16 price list) |
| | | 2 sides up to 1101 x 1101 | 2 sides up to mm 435 |
| Terminal element | per millimetre | no reductions | no reductions |
| Wooden central partition or side panel | per millimetre | | reductions depend on linear modules |
| Frame or glass side panel or central partition | per millimetre | | no reductions |
| External corner unit | per millimetre | up to mm 435 | up to mm 435 |

Door reductions

| Type of reduction | height | width |
|---|----------------|---|
| Wooden hinged doors (FIND-ME - QUICK - START - BLEND - LINEAR - "A FILO" - HOLLOW - GRIP - NICHE) | per millimetre | per millimetre |
| "A FILO" glass hinged doors - Hinged doors SMOOTH | per millimetre | per millimetre |
| BAMBOO hinged doors | per millimetre | at -15 mm intervals |
| Wooden sliding doors (QUICK - START - "A FILO" - BLADE - GRIP) | per millimetre | ONLY doors W 979 and 1307 mm - reducible down to W 815 mm |
| "A FILO" glass sliding doors | per millimetre | no reductions |
| Wooden flush sliding doors (QUICK - START - "A FILO" - HOLLOW - GRIP) Flush sliding doors W 1471 mm cannot be reduced. | per millimetre | no reductions |
| "A FILO" glass flush sliding doors | per millimetre | no reductions |
| LINEAR / GLASS doors | per millimetre | reducible down to W 405 mm |
| SISTEMA 7 wood hinged door | per millimetre | reducible down to W 405 mm |
| SISTEMA 7 wood folding door | per millimetre | no reductions |
| SISTEMA 7 glass hinged door | per millimetre | reducible down to W 405 mm |
| SISTEMA 7 glass folding door | per millimetre | no reductions |
| BLEND external drawer (depth cannot be reduced) | no reductions | no reductions |

Reductions of internal fittings

| Type of reduction | height | width | depth |
|---|-----------------|----------------|-------------------------------------|
| Wood shelves | | per millimetre | reductions depend on linear modules |
| Shelves with pewter colour profile | | per millimetre | reductions depend on linear modules |
| Eco Skin shelves | | per millimetre | reductions depend on linear modules |
| Glass shelves | | per millimetre | reductions depend on linear modules |
| Clothes rails | | per millimetre | |
| Central divider pieces | 32 mm intervals | | reductions depend on linear modules |
| Internal drawers / trinket trays, trouser holders and pull-out trays / grid with shirt and sweater holders / shoe rack shelves / pull-out shirt holders / SOFT LINE internal fittings / islands | no reductions | no reductions | no reductions |
| "Smart" drawer unit 2 drawers | | per millimetre | no reductions |
| "Smart" drawer unit 3 drawers | | per millimetre | no reductions |
| "Smart" drawer unit 4 drawers | | per millimetre | no reductions |

Horizontal and vertical light bars can be reduced with the supplementary charge included in the charge for cutting shelf and side panel.

DATASHEET


REGISTERED
DESIGN

2025


SPECIAL PROCESSING - INSPECTIONS

Inspection on lid
with removable panel
for 626/790/954/1282
compartments (only on
hinged door compartment)

LED lights can also be
fitted on the top.
Only for compartments
with melamine sides.
Removable 10 th. panel
melamine finished structure




PAISPC01




Inspection on base
with removable panel
for 626/790/954/1282
compartments (only on
hinged door compartment)

Only for compartments
with melamine sides.
Removable 10 th. panel
melamine finished structure




PAISPBA1




Inspection on side panel
with removable panel


Removable 10 th. panel
melamine finished structure.
Only one inspection possible
per side panel.




PAISPSP1



REMOVABLE BACK PANEL



Type 1



Type 2

The removable back is made by dividing the back panel's structure, and adding two fixed shelves or 1 if starting from the base or top.
Not possible with BLEND fabric back panel.

Type 1

- Back cut
- Additional back panel at fixed price (for all finishes)
- Removable panel H max 1698 mm




| melamine structure | matt lacquer | wood |
|--------------------|--------------|-----------|
| W 462/626 | W 462/626 | W 462/626 |
| W 790/954 | W 790/954 | W 790/954 |
| W 1282 | W 1282 | W 1282 |

Type 2

- Back cut
- Removable panel H max 1734 mm

| melamine structure | matt lacquer | wood |
|--------------------|--------------|-----------|
| W 462/626 | W 462/626 | W 462/626 |
| W 790/954 | W 790/954 | W 790/954 |
| W 1282 | W 1282 | W 1282 |

SPECIAL PROCESSING - SHAPING



Notes

- Shaping in both height and width cannot be done on the same compartment.
- Confirmation to the customer of the feasibility of shaping will only be given after checking with the Molteni&C Technical Office.

Only on hinged door compartment

Costs to consider:

- Back cut
 - Lid cut
 - Fixed shelf with surcharge for cut (see page 133 price list for solid wood shelves)
 - Back, fixed price (for all finishes)
- Not possible with BLEND fabric back panel.

Costs to consider:

- Back cut
- Base/lid/shelf in solid wood
- 2 cuts per shaped piece
- 2 additional panels (melamine structure)
- Possible cut in side

Custom cuts for attics


Doors with slanting cut (only for wardrobes with solid wood sides)

When preparing the order, indicate heights H1 and H2, as well as the width L, as shown in the example.

The price for the slanting cut for each door is the same as cutting for a hinged door, as shown in the doors pages.


In this case a single module must be used with a QUICK, START, "A FILO", HOLLOW and GRIP hinged door, with the melamine facade and matt lacquered finishes, hinged on the higher side.

The structures can be standard or made to size.



Standard or made to size doors (only for wardrobes with solid wood sides)

Double compartments with hinged doors can be used for this solution.



DATASHEET

REGISTERED
DESIGN

2025

GLISS
MASTER—
VINCENT
VAN DUYSSEN
2015

GLASS TOP FOR WARDROBES
FINISHED WITH ONLY ONE
COMPARTMENT W 790/954

- To use only with:
- single linear module W 790 / W 954
(no modular arrangement is possible)
 - only with glass lateral pieces and glass back panel
 - clothes rod cannot be mounted on the lid
 - cannot be used with SISTEMA 7 doors

Glass finish
transparent glass
transparent stopsol glass
stopsol etched glass

Profile finish
pewter colour
bronze
iris

Molteni & C

19 —
67

Increase valid for depths 595 - 23 3/8"



W 790 - 31 1/8"

W 954 - 37 1/2"

DATASHEET

REGISTERED
DESIGN

2025

FIND-ME door th 25

Door with full height vertical finger recess included in the door thickness.
The door is available in a hinged version in wood.

All the hinged doors have cushion-closing hinges.
Hinges with 155° opening can be used and a key lock can be installed on hinged doors.

The FIND-ME door can be made with LINEAR invisible hinges for matt lacquered colours, 3D matt lacquer, lunar, and wood finishes with a cost supplement per door.

Reductions
FIND-ME doors can be reduced as shown on p. 32 price list.

Notes

With 3D lacquer, glaze, and lunar surfaces, the outside of the side panel can be made with a matt lacquer finish or a laminate faced finish like the internal structure.

To match the glaze finish door, we advise the side exterior finish in dolomite grey matt lacquer with finger recess and extension profiles in pewter colour, bronze or iris.


To match the lunar finish door, we advise the side exterior finish in clay matt lacquer with finger recess and extension profiles in pewter colour, bronze, iris.

Molteni&C

20—
67

FIND-ME wooden door

matt lacquer colours
glossy lacquer colours
vertical grain wood
3D matt lacquer colours
glaze
lunar



| | finishes | | | | | |
|--------------------------------|----------------------|-------|---------------------|------------------------|-------|-------------------------|
| | matt lacquer colours | lunar | vertical grain wood | glossy lacquer colours | glaze | 3D matt lacquer colours |
| hinged doors | | | | | | |
| width 487 (19 1/8") | ● | ● | ● | ● | ● | ● |
| w. 651 (25 5/8")/608 (23 7/8") | ● | ● | ● | ● | ● | ● |
| width 815 (32 1/8") | ● | ● | ● | ● | ● | ● |
| width 979 (38 1/2") | ● | ● | ● | ● | ● | ● |
| width 1307 (51 1/2") | ● | ● | ● | ● | ● | ● |
| door for terminal element | ● | ● | ● | ● | ● | ● |

QUICK door th 25

Door with full height handle included in the door thickness.

All the hinged doors have cushion-closing hinges.
The sliding door have a shock absorber mechanism which allows them to open and close softly.
Hinges with 155° opening can be used and a key lock can be installed on hinged doors (see page 53 price list).

Reductions
QUICK doors can be reduced as shown on p. 32 price list.


Notes
Sliding doors and flush sliding doors are not available in H 2889.

**With door in tatami melamine and chestnut finish, it is possible to make the structure and side panel in the same finish as the doors.
Side extension profiles are made in the same finish as the handle.
With cartapaglia and silk finished doors, the side panel exterior can be made with a finish in matt lacquered colours or a melamine finish like the internal structure.**

QUICK door

Molteni & C

21—
67



| FINISHES TO MATCH THE QUICK DOOR | | |
|--|---|---|
| DOOR PANEL | PROFILE HANDLE/ DOOR EXTENSION | EXTENSION PROFILE SIDE PANEL |
| Ivory Tatami | RAL7032 | RAL7032 |
| Grey Tatami | RAL7039 | RAL7039 |
| Light Chestnut Dark Chestnut White cartapaglia Silica cartapaglia Anthracite cartapaglia Chalk white silk Silica silk Dove grey silk Ivory Tatami Grey Tatami | Epoxy finish Bronze or Epoxy finish Pewter Colour or Epoxy finish Iris | Epoxy finish Bronze or Epoxy finish Pewter Colour or Epoxy finish Iris |

For handles matt lacquered in color with cartapaglia, silk and tatami melamine use “A FILO” doors

| | |
|--------------------------------|---|
| hinged doors | |
| width 487 (19 1/8") | ● |
| w: 651 (25 5/8")/608 (23 7/8") | ● |
| width 815 (32 1/8") | ● |
| width 979 (38 1/2") | ● |
| width 1307 (51 1/2") | ● |
| door for terminal element | ● |
| corner unit 1101x1101 | ● |

| | |
|----------------------|---|
| sliding doors | |
| width 815 (32 1/8") | ● |
| width 979 (38 1/2") | ● |
| width 1307 (51 1/2") | ● |

| | |
|----------------------|---|
| flush sliding doors | |
| width 815 (32 1/8") | ● |
| width 979 (38 1/2") | ● |
| width 1307 (51 1/2") | ● |

START door th 25

Door with handles mounted on the front.


All the hinged doors have cushion-closing hinges.
The sliding door have a shock absorber mechanism which allows them to open and close softly.
Hinges with 155° opening can be used and a key lock can be installed on hinged doors (see page 53 price list).

The START door can be made with LINEAR invisible hinges for melamine front, matt lacquered colours, 3D matt lacquer and wood finishes with a cost supplement per door.

Reductions
START doors can be reduced as shown on p. 32 price list.

Notes
Sliding doors and flush sliding doors are not available in H 2889.
With melamine front, 3D lacquer and glaze finishes, the outside of the side panel can be made with a matt lacquer finish or a melamine finish like the internal structure.

To match the glaze finish door, we advise the side exterior finish in dolomite grey matt lacquer with handle and extension profiles in pewter colour, bronze or iris.



| | finishes | | | | | |
|--------------------------------|----------------|----------------------|---------------------|------------------------|-------|-------------------------|
| | melamine front | matt lacquer colours | vertical grain wood | glossy lacquer colours | glaze | 3D matt lacquer colours |
| hinged doors | | | | | | |
| width 487 (19 1/8") | ● | ● | ● | ● | ● | ● |
| w. 651 (25 5/8")/608 (23 7/8") | ● | ● | ● | ● | ● | ● |
| width 815 (32 1/8") | ● | ● | ● | ● | ● | ● |
| width 979 (38 1/2") | ● | ● | ● | ● | ● | ● |
| width 1307 (51 1/2") | ● | ● | ● | ● | ● | ● |
| door for terminal element | ● | ● | ● | ● | ● | ● |
| sliding doors | | | | | | |
| width 815 (32 1/8") | ● | ● | ● | ● | | |
| width 979 (38 1/2") | ● | ● | ● | ● | | |
| width 1307 (51 1/2") | ● | ● | ● | ● | | |
| width 1471 (57 7/8") | | ● | | ● | | |
| flush sliding doors | | | | | | |
| width 815 (32 1/8") | ● | ● | ● | ● | | |
| width 979 (38 1/2") | ● | ● | ● | ● | | |
| width 1307 (51 1/2") | ● | ● | ● | ● | | |
| width 1471 (57 7/8") | | ● | | ● | | |

“A FILO” door th 25

Door with full-height handle included in the thickness of the door.
The door is available in the versions wood and glass.

All the hinged doors have cushion-closing hinges.
The sliding door have a shock absorber mechanism which allows them to open and close softly.
Hinges with 155° opening can be used and a key lock can be installed on hinged doors (see page 53 price list).

The “A FILO” door can be made with LINEAR invisible hinges for melamine front, matt lacquered colours, 3D matt lacquer and wood finishes with a cost supplement per door.

Reductions
“A FILO” doors can be reduced as shown on p. 32 price list.

Notes
Sliding doors and flush sliding doors are not available in H 2889.
Glass hinged doors are not available in H 2889.
Flush sliding glass doors cannot be used in compositions with 3 doors.

With surfaces in cartapaglia melamine, silk, 3D lacquer, and glaze, the outside of the side panel can be made with a matt lacquer finish or melamine like the internal structure.

To match the glaze finish door, we advise the side exterior finish in dolomite grey matt lacquer with “a filo” handle (full height) and extension profiles in pewter colour, bronze or iris.

“A FILO” wooden door

melamine cartapaglia
melamine silk
melamine tatami
chestnut melamine
matt lacquer colours
3D matt lacquer colours
glossy lacquer colours
vertical grain wood
glaze

“A FILO” glass door

Glass:
coloured
etched coloured
mirror

Profile and “a filo” handle:
pewter colour
bronze
iris

finishes

melamine
front

matt lacquer
colours

vertical grain
wood

glossy lacquer
colours

coloured glass/
etched coloured
glass/ mirror

glaze

3D
matt lacquer colours

hinged doors

| | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|
| width 487 (19 1/8") | ● | ● | ● | ● | ● | ● | ● |
| w. 651 (25 5/8")/608 (23 7/8") | ● | ● | ● | ● | ● | ● | ● |
| width 815 (32 1/8") | ● | ● | ● | ● | ● | ● | ● |
| width 979 (38 1/2") | ● | ● | ● | ● | ● | ● | ● |
| width 1307 (51 1/2") | ● | ● | ● | ● | ● | ● | ● |
| door for terminal element | ● | ● | ● | ● | ● | ● | ● |
| corner unit 1101x1101 | ● | ● | ● | ● | ● | ● | ● |

sliding doors

| | | | | | | | |
|----------------------|---|---|---|---|---|--|--|
| width 815 (32 1/8") | ● | ● | ● | ● | ● | | |
| width 979 (38 1/2") | ● | ● | ● | ● | ● | | |
| width 1307 (51 1/2") | ● | ● | ● | ● | ● | | |
| width 1471 (57 7/8") | | ● | | ● | | | |

flush sliding doors

| | | | | | | | |
|----------------------|---|---|---|---|---|--|--|
| width 815 (32 1/8") | ● | ● | ● | ● | ● | | |
| width 979 (38 1/2") | ● | ● | ● | ● | ● | | |
| width 1307 (51 1/2") | ● | ● | ● | ● | ● | | |
| width 1471 (57 7/8") | | ● | | ● | | | |

SMOOTH door th 25

Door covered in Eco Skin or BLEND fabric in the colours in the Molteni range, featuring a full-height handle recessed in the width of the door and a perimeter profile that outlines the edge.


All the hinged doors have cushion-closing hinges.

Hinges with 155° opening can be used.

Reductions
SMOOTH doors can be reduced as shown on p. 32 price list.

Notes

With Eco Skin or BLEND fabric surfaces, the side panel exterior can be made with a matt lacquer finish or a melamine finish like the internal structure.



| finishes | |
|--------------------------------|---|
| Eco Skin / BLEND fabric | |
| hinged doors | |
| width 487 (19 1/8") | ● |
| w. 651 (25 5/8")/608 (23 7/8") | ● |
| width 815 (32 1/8") | ● |
| width 979 (38 1/2") | ● |
| width 1307 (51 1/2") | ● |
| door for terminal element | ● |

BAMBOO door th 25

Door covered in quilted Eco Skin in the colours of the Molteni range, characterized by a full-height handle recessed in the thickness of the door and by a perimeter profile that defines its contour.

All the hinged doors have cushion-closing hinges.

Hinges with 155° opening can be used.


Reductions
BAMBOO doors can be reduced as shown on p. 32 price list.

With fronts in Eco Skin finish, the outside of the side panel can be made with matt lacquer finish or in melamine in the same finish as the inside structure.

BAMBOO door

Handle and perimeter profiles:
pewter colour
bronze
iris

Panels covered in Eco Skin
in the colours:
grey
mink
hemp
ivory
dark brown
earth
arctic
taupe



finishes

hinged doors Eco Skin

| | |
|--------------------------------|---|
| width 487 (19 1/8") | ● |
| w. 651 (25 5/8") 608 (23 7/8") | ● |
| width 815 (32 1/8") | ● |
| width 979 (38 1/2") | ● |
| width 1307 (51 1/2") | ● |
| door for terminal element | ● |

HOLLOW door th 25

Door characterized by the handle recessed in the thickness of the door.

All the hinged doors have cushion-closing hinges.
The sliding door have a shock absorber mechanism which allows them to open and close softly.
Hinges with 155° opening can be used and a key lock can be installed on hinged doors (see page 53 price list).


The HOLLOW door can be made with LINEAR invisible hinges for melamine front, matt lacquered colours, and wood finishes with a cost supplement per door.

Reductions
HOLLOW doors can be reduced as shown on p. 32 price list.

Notes
Flush sliding doors are not available in H 2889.

With the fronts in melamine front finish and glaze, the exterior of the side panel can be in matt lacquer or melamine finish like an internal structure.
To match the glaze finish door, we advise the side exterior finish in dolomite grey matt lacquer and the extension profile in the same finish as the handle (pewter colour, bronze or iris).

- HOLLOW door**
- Panel:
melamine cartapaglia
melamine tatami
melamine silk
chestnut melamine
matt lacquer colours
glaze
glossy lacquer colours
vertical grain wood
- Handle:
pewter colour
bronze
iris



| | finishes | | | | |
|--------------------------------|----------------|----------------------|-------|---------------------|------------------------|
| | melamine front | matt lacquer colours | glaze | vertical grain wood | glossy lacquer colours |
| hinged doors | | | | | |
| width 487 (19 1/8") | ● | ● | ● | ● | ● |
| w. 651 (25 5/8")/608 (23 7/8") | ● | ● | ● | ● | ● |
| width 815 (32 1/8") | ● | ● | ● | ● | ● |
| width 979 (38 1/2") | ● | ● | ● | ● | ● |
| width 1307 (51 1/2") | ● | ● | ● | ● | ● |
| door for terminal element | ● | ● | ● | ● | ● |
| flush sliding doors | | | | | |
| width 815 (32 1/8") | ● | ● | | ● | ● |
| width 979 (38 1/2") | ● | ● | | ● | ● |
| width 1307 (51 1/2") | ● | ● | | ● | ● |


BLADE sliding door th 25

Door with full-height handle.
The sliding system automatically aligns the door as it opens and closes.

Reductions
BLADE doors can be reduced as shown on p. 32 price list.

Notes
BLADE doors are not available with H 2889.

With the fronts in melamine front finish, the exterior of the side panel can be in matt lacquer or melamine finish like an internal structure.



| | finishes | | | |
|----------------------|----------------|----------------------|---------------------|------------------------|
| | melamine front | matt lacquer colours | vertical grain wood | glossy lacquer colours |
| sliding doors | | | | |
| width 815 (32 1/8") | ● | ● | ● | ● |
| width 979 (38 1/2") | ● | ● | ● | ● |
| width 1307 (51 1/2") | ● | ● | ● | ● |
| width 1471 (57 7/8") | | ● | | ● |

GRIP door th 25 design Vincent Van Duysen

Door with a handle applied laterally on the edge of the door.
All the hinged doors have cushion-closing hinges.
The sliding door have a shock absorber mechanism which allows them to open and close softly.

Hinges with 155° opening can be used on hinged doors (see page 53 price list).

The GRIP door can be made with LINEAR invisible hinges for melamine front, matt lacquered colours, and wood finishes with a cost supplement per door.


Reductions
GRIP doors can be reduced as shown on p. 32 price list.

Notes
Sliding doors and flush sliding doors are not available in H 2889.
In the pair of hinged doors, the handle is mounted on both doors in the pair.

With the fronts in melamine front finish, the exterior of the side panel can be in matt lacquer or melamine finish like an internal structure.

Handles finishes
pewter colour
bronze
iris
pewter colour/bronze/iris covered in Eco Skin in the colours (with surcharge per handle)

GRIP door
melamine cartapaglia
melamine tatami
melamine silk
chestnut melamine
matt lacquer colours
glossy lacquer colours
vertical grain wood



| | finishes | | | |
|--------------------------------|----------------|----------------------|---------------------|------------------------|
| | melamine front | matt lacquer colours | vertical grain wood | glossy lacquer colours |
| hinged doors | | | | |
| width 487 (19 1/8") | ● | ● | ● | ● |
| w. 651 (25 5/8")/608 (23 7/8") | ● | ● | ● | ● |
| width 815 (32 1/8") | ● | ● | ● | ● |
| width 979 (38 1/2") | ● | ● | ● | ● |
| width 1307 (51 1/2") | ● | ● | ● | ● |
| door for terminal element | ● | ● | ● | ● |
| sliding doors | | | | |
| width 815 (32 1/8") | ● | ● | ● | ● |
| width 979 (38 1/2") | ● | ● | ● | ● |
| width 1307 (51 1/2") | ● | ● | ● | ● |
| width 1471 (57 7/8") | | ● | | ● |
| flush sliding doors | | | | |
| width 815 (32 1/8") | ● | ● | ● | ● |
| width 979 (38 1/2") | ● | ● | ● | ● |
| width 1307 (51 1/2") | ● | ● | ● | ● |
| width 1471 (57 7/8") | | ● | | ● |

NICHE door th 25 design Vincent Van Duysen

Door with recessed handle.

All the hinged doors have cushion-closing hinges.


Hinges with 155° opening can be used on hinged doors (see page 53 price list).

Reductions

NICHE doors can be reduced as shown on p. 32 price list.

Handles finishes
pewter colour
bronze
iris

NICHE door
matt lacquer colours
glossy lacquer colours
vertical grain wood



| | finishes | | |
|-----------------------------------|-------------------------|------------------------|---------------------------|
| | matt lacquer colours | vertical grain wood | glossy lacquer colours |
| hinged doors | | | |
| width 487 (19 1/8") | ● | ● | ● |
| width 651 (25 5/8")/608 (23 7/8") | ● | ● | ● |
| width 815 (32 1/8") | ● | ● | ● |
| width 979 (38 1/2") | ● | ● | ● |
| width 1307 (51 1/2") | ● | ● | ● |
| door for terminal element | ● | ● | ● |

NICHE horizontal door th 25 design Vincent Van Duysen

Door with recessed horizontal handle.

All the hinged doors have cushion-closing hinges.

Hinges with 155° opening can be used on hinged doors (see page 53 price list).

Reductions


NICHE horizontal doors can be reduced as shown on p. 32 price list.

Handles finishes
pewter colour
bronze
iris

NICHE horizontal door
matt lacquer colours
glossy lacquer colours

Molteni & C

30—
67



| hinged doors | finishes | |
|-----------------------------------|----------------------|------------------------|
| | matt lacquer colours | glossy lacquer colours |
| width 487 (19 1/8") | ● | ● |
| width 651 (25 5/8")/608 (23 7/8") | ● | ● |
| width 815 (32 1/8") | ● | ● |
| width 979 (38 1/2") | ● | ● |
| width 1307 (51 1/2") | ● | ● |
| door for terminal element | ● | ● |

DATASHEET

REGISTERED
DESIGN


2025

BLEND door and external drawer design Rodolfo Dordoni

Hinged doors with perimeter profile characterised by a vertical decoration and the possibility of being combined with an external lower drawer.

Molteni & C

31—
67



Technical information

- The hinged doors cannot be applied to frame or glass sides and to open corner units (1101x1101 - 1282x1282).
- The compartment above the drawer must always be closed with BLEND doors and cannot be equipped with central dividing sides.
- The protruding base, with one or more modules, must always be hooked to at least one side panel of the wardrobe.
- The decorative profile cannot be made on doors smaller than 487 mm wide.
- The drawer cannot be adjacent to the corner element (658x658).

DATASHEET

REGISTERED
DESIGN

2025


BLEND door and external drawer design Rodolfo Dordoni

All hinged doors are equipped with soft closing hinges.
It is possible to use hinges with 155° opening on hinged doors.


Notes
In pairs of hinged doors, the handle is fitted on both doors.
The door covering fabrics are specific for this use and feature a water-repellent surface treatment (Scotchgard).

Fabric colours
bark brown
moss green
olive green
oxide orange
vanilla

Hinged door



External drawer



| | panel finishes | | | |
|-------------------------------|----------------------|--------|------|--------|
| | matt lacquer colours | fabric | wood | mirror |
| hinged doors | | | | |
| width 487 (19 1/8") | ● | ● | | |
| w 651 (25 5/8")/608 (23 7/8") | ● | ● | | |
| width 815 (32 1/8") | ● | ● | | |
| width 979 (38 1/2") | ● | ● | | |
| width 1307 (51 1/2") | ● | ● | | |
| door for terminal element | ● | ● | | |
| external drawer | | | | |
| width 487 (19 1/8") | ● | | ● | ● |
| width 651 (25 5/8") | ● | | ● | ● |
| width 815 (32 1/8") | ● | | ● | ● |
| width 979 (38 1/2") | ● | | ● | ● |
| width 1307 (51 1/2") | ● | | ● | ● |

Handle
always in pewter colour finish



GLASS door th 35 design Vincent Van Duysen

Glass door with 180° opening made with a special soft close hinge inserted in the profile and completely hidden in the side (exclusively by Molteni).

A full height handle is designed in the profile.

Integrated lock with coded key

GLASS hinged doors with integrated lock are available, taking into account a surcharge for single door or pair of doors.

As standard, all lockable doors in a wardrobe will have different coded keys.

On the pair of doors, the lock will always be applied to the right door.

The lock is not applicable to hinged doors of the external corner units.

Reductions

GLASS doors can be reduced as shown on p. 32 price list.

Notes

The GLASS doors are available with H 2889 only for widths 487, 815, 979 and for the corner unit 1101x1101.


In the pair of hinged doors, the handle is mounted on both doors in the pair.

The GLASS door can also be installed on the open corner module.

Molteni & C

33—
67

GLASS door



| | finishes | | | |
|--------------------------------|----------------------------------|--|----------------------------|--------------|
| | transparent / smoked glass | stopsol transparent/silver/ bronze glass | stopsol etched glass | net glass |
| 180° Hinged | | | | |
| width 487 (19 1/8") | ● | ● | ● | ● |
| w. 651 (25 5/8")/608 (23 7/8") | ● | ● | ● | ● |
| width 815 (32 1/8") | ● | ● | ● | ● |
| width 979 (38 1/2") | ● | ● | ● | ● |
| width 1307 (51 1/2") | ● | ● | ● | ● |
| corner unit 1101x1101 | ● | ● | ● | ● |
| corner unit 1282x1282 | ● | ● | ● | ● |

MERIDIAN door th 42 design Studio Klass

Hinged door with 180° opening fitted as standard with patented soft open/close hinges. Door pauses at 110° with non-simultaneous closure of the pair.
MERIDIAN doors are available in three versions:
- Glass or MDi by Inalco door with external metal profiles
- Glass or MDi by Inalco door with external wood profiles
- Glass door with decorative and external wood profiles

For pairs of hinged doors W 815, 979 and 1307 the handle is fitted on both doors.


Reductions
MERIDIAN doors can be reduced in height and in width up to 405 mm.

Notes
Locks cannot be applied to MERIDIAN doors.
When the MERIDIAN door is used on a linear structure less than 495 mm deep or on an open corner structure with reduced depth, the patented soft close hinge cannot be used. The door will be fitted with SYSTEM 7 type slow close hinge.
Doors in MDi by Inalco are not available in 2889 height.


Molteni & C

34—
67

MERIDIAN glass or MDi by Inalco door
with external profiles in metallic or wood finish



MERIDIAN glass door with decorative profiles
with external and decorative profiles in wood



| | finishes | | | | |
|--------------------------------|--|--|-------------------------|--------------|---|
| | transparent/ smoked/bronze glass | stopsol transparent/silver/ bronze glass | stopsol etched glass | net glass | MDi by Inalco merino white / gray brown |
| 180° hinged | | | | | |
| width 487 (19 1/8") | ● | ● | ● | ● | ● |
| w. 651 (25 5/8")/608 (23 7/8") | ● | ● | ● | ● | ● |
| width 815 (32 1/8") couple | ● | ● | ● | ● | ● |
| width 979 (38 1/2") couple | ● | ● | ● | ● | ● |
| width 1307 (51 1/2") couple | ● | ● | ● | ● | ● |
| corner unit 1101x1101 | ● | ● | ● | ● | ● |

| | | | | | |
|--------------------------------|---|---|---|---|--|
| 180° hinged with profiles | | | | | |
| width 487 (19 1/8") | ● | ● | ● | ● | |
| w. 651 (25 5/8")/608 (23 7/8") | ● | ● | ● | ● | |
| width 815 (32 1/8") couple | ● | ● | ● | ● | |
| width 979 (38 1/2") couple | ● | ● | ● | ● | |
| width 1307 (51 1/2") couple | ● | ● | ● | ● | |
| corner unit 1101x1101 | ● | ● | ● | ● | |

DATASHEET

REGISTERED
DESIGN

2025

LINEAR door th 25 design Vincent Van Duysen

All the doors applied to the linear modules are equipped with new generation concealed hinges on the side panel, with soft closure.
For use on the 1101x1101 corner element, the glass doors are equipped with pivot hinges (SISTEMA 7), while the wooden doors with traditional 155° hinges.


A handle with lock is available considering a surcharge for single door or a pair (for wood and glass doors).
The lock is not available for corners 1101x1101.

Reductions
The LINEAR doors can be reduced to the millimetre in height and width.

Notes
LINEAR doors cannot be applied to frame or glass sides.
H 2889 hinged doors are available only in W 405/487.
To match the lunar finish, we advise the side exterior finish in matt lacquered argilla and the extension profiles in the same finish as the handle.


LINEAR door wood

matt lacquer colours
lunar




LINEAR door 3D

matt lacquer colours




LINEAR door glass

extra-clear transparent glass
smoked glass
transparent stopsol glass
silver stopsol glass
bronze stopsol glass
stopsol etched glass
3D etched bronze




Profile finish:
pewter colour
bronze
iris

LINEAR handle



LINEAR handle with lock



Handle finish:
pewter colour
bronze
iris

| | finishes | | | | | | | | | |
|--------------------------------|----------------------|-------|-------------------------|-------------------------------|--------------|---------------------------|----------------------|----------------------|----------------------|------------------|
| | matt lacquer colours | lunar | 3D matt lacquer colours | extra-clear transparent glass | smoked glass | transparent stopsol glass | silver stopsol glass | stopsol bronze glass | stopsol etched glass | 3D etched bronze |
| hinged doors | | | | | | | | | | |
| width 487 (19 1/8") | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| w. 651 (25 5/8")/608 (23 7/8") | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| width 815 (32 1/8") | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| width 979 (38 1/2") | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| width 1307 (51 1/2") | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| corner unit 1101x1101 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |

SISTEMA 7 wood doors th 35 design Vincent Van Duysen

Doors characterised by increased thickness, made in structural honeycombed panels that make the surface perfectly flat.
Patented folding system.
All doors are fitted with soft-closing mechanism.


Notes
Doors are not available with H 2889.

SISTEMA 7 wood doors

matt lacquer colours
glossy lacquer colours
wood

Molteni & C

36—
67



finishes

| | matt lacquer colours | glossy lacquer colours | vertical grain wood |
|--------------------------------|----------------------|------------------------|---------------------|
| 180° Folding | | | |
| width 815 (32 1/8") | ● | ● | ● |
| width 979 (38 1/2") | ● | ● | ● |
| corner unit 1101x1101 | ● | ● | ● |
| 90° Folding | | | |
| width 815 (32 1/8") | ● | ● | ● |
| width 979 (38 1/2") | ● | ● | ● |
| 180° Hinged | | | |
| width 405 (16") | ● | ● | ● |
| width 487 (19 1/8") | ● | ● | ● |
| w. 651 (25 5/8")/608 (23 7/8") | ● | ● | ● |
| width 815 (32 1/8") | ● | ● | ● |
| width 979 (38 1/2") | ● | ● | ● |
| width 1307 (51 1/2") | ● | ● | ● |
| corner unit 1101x1101 | ● | ● | ● |

DATASHEET

REGISTERED
DESIGN

2025

SISTEMA 7 glass doors th 35 design Vincent Van Duysen

Glass door with aluminium outer profile, th 35 mm.
Patented folding mechanism.
All doors are equipped with soft-closing system.


Notes
Doors are not available with H 2889.

Integrated lock with coded key
Hinged doors with 180° opening and 90° / 180° folding doors are available with integrated lock, considering a surcharge for single door or pair of doors.
As standard, all lockable doors in a wardrobe will have different coded keys.
On the pair of hinged doors, the lock will always be applied to the right door.
On the 90° / 180° folding doors it will be applied to the upright opposite to the handle (see section).
The lock is not applicable to hinged doors of the external corner units.


Molteni & C

SISTEMA 7 glass doors

90° / 180° Folding



180° Hinged



finishes

| | transparent/ smoked glass | stopsol transparent/silver/ bronze glass | stopsol etched glass | net glass |
|--------------------------------|------------------------------|--|----------------------------|--------------|
| 180° Folding | | | | |
| width 815 (32 1/8") | ● | ● | ● | ● |
| width 979 (38 1/2") | ● | ● | ● | ● |
| corner unit 1101x1101 | ● | ● | ● | ● |
| 90° Folding | | | | |
| width 815 (32 1/8") | ● | ● | ● | ● |
| width 979 (38 1/2") | ● | ● | ● | ● |
| 180° Hinged | | | | |
| width 405 (16") | ● | ● | ● | ● |
| width 487 (19 1/8") | ● | ● | ● | ● |
| w. 651 (25 5/8")/608 (23 7/8") | ● | ● | ● | ● |
| width 815 (32 1/8") | ● | ● | ● | ● |
| width 979 (38 1/2") | ● | ● | ● | ● |
| width 1307 (51 1/2") | ● | ● | ● | ● |
| corner unit 1101x1101 | ● | ● | ● | ● |

SISTEMA 7 doors th 35

With SISTEMA 7 it is possible to create passageway solutions with doors fastened to Gliss Master wardrobe structures.

This type of solution requires the insertion of a lid between the sides of the wardrobes. It can be opened thanks to a 180° folding door in wood or glass.

Reductions


180° folding doors can be reduced in height only.

Notes

Doors are not available with H 2889.

Molteni & C

38—
67



DATASHEET

REGISTERED
DESIGN

2025

SPECIAL ELEMENTS

Column with open compartment

- Can be inserted only in wardrobes without doors or with hinged doors.
- Central partitions and/or lateral pieces close the column and cannot be frame or glass.
- The open compartment is always in matt lacquered colours.
- Doors are always without handles because they protrude with respect to the structure.
- Drawers are fitted with the "E" handle of the START door.
- Front finish: melamine front, matt lacquered colours, glossy lacquered colours and wood.

* The price does not include the central partitions or side panels, nor the internal shelves.

Reductions are allowed only in height, and costs of cutting the structure and doors are applied. Open compartment and lower part cannot be reduced.

Wire passage **EPA1 Ø 60** chrome on request on back.



Notes

The back of the open compartment cannot hold a mounted TV.

Reductions

Molteni & C

39 —
67



DATASHEET

REGISTERED
DESIGN

2025

SPECIAL ELEMENTS

Column with external drawers

- Can be inserted only in wardrobes with hinged doors.
- Central partitions and/or lateral pieces close the column and cannot be frame or glass.
- Pairs of doors always have only one handle mounted on the right door.
- Drawers are fitted with the "E" handle of the START door.
- Front finish: melamine front, matt lacquered colours, glossy lacquered colours and wood.

Reductions

Reductions are allowed only in height, and costs of cutting the structure and doors are applied.

* The price does not include the central partitions or side panels, nor the internal shelves.

Molteni & C

40 —
67





Doors with
type "E" handle

H 2343

H 2439

H 2631

H 2919







Doors with
"A FILO" handle

H 2343

H 2439

H 2631

H 2919



DATASHEET

REGISTERED
DESIGN

2025

BEAUTÈ design Rodolfo Dordoni

| finishes | | eucalyptus / graphite oak | pewter colour / bronze / iris | Eco Skin | melamine structure |
|-----------------------------|-----------|---------------------------------|--|----------|-----------------------|
| components | | | | | |
| base / top | top | ● | | | |
| | trim | | ● | | |
| upper shelf and back mirror | | ● | | | |
| back panel | | | | ● | |
| display shelf | top | | | ● | |
| | profile | | ● | | |
| drawer unit structure | | ● | | | |
| drawer unit front | panel | | | ● | |
| | profile | ● | | | |
| internal drawers | | ● | | | |
| drawer unit top | | | | ● | |
| internal tray | structure | ● | | | |
| | bottom | | | ● | |
| end panel | | ● | | | |
| central panel | inside | ● | | | |
| | outside | | | | ● |



Eco Skin

grey
mink
hemp
ivory
dark brown
earth
arctic
taupe

BEAUTÈ design Rodolfo Dordoni



Vanity use example

Side



★ Insertion is possible of a tray leather (A) or two (B) (see price list page 178)


Central




★ Insertion is possible of a tray leather (A) or two (B) (see price list page 178)

Types of panels

Central panel - used if the adjacent compartment has a door




Central or end panel - used with open adjacent compartments with front profile panels or frame/glass panels



Central panel - used with open adjacent compartments with melamine structure panels

End panel - used whenever the adjacent compartments have a door or with open melamine structure panels



DATASHEET

REGISTERED
DESIGN

2025

VANITY

Gliss Master expands the design proposal with the elegant Vanity, created using components derived from the 505 UP series.
The matt and glossy lacquered structure in the colours of the range, matches the Eco Skin display shelf and the deluxe compartment, allowing for a perfect balance of design and materials.

Molteni & C

43—
67

| Vanity finishes | | matt lacquer colours | glossy lacquer colours | pewter colour/ bronze/ iris | bronze mirror | Eco Skin |
|------------------------------|--------------|----------------------------|------------------------------|--------------------------------------|------------------|----------|
| components | | | | | | |
| structure | | ● | ● | | | |
| back | | ● | ● | | | |
| small partition panels th.12 | | | | ● | | |
| deluxe compartment | back | | | | ● | |
| | shelf | | | | | ● |
| projecting top H 72 | top | | | | | ● |
| | trims | | | ● | | |
| | wire passage | ● | | | | |


| colours | Matt lacquer | Glossy lacquer | Eco Skin |
|---------|--------------------|--------------------|------------|
| | BC chalk white | BC chalk white | grey |
| | PE pearl | PE pearl | mink |
| | DN dune | DN dune | hemp |
| | PL platinum | PL platinum | ivory |
| | NE black | NE black | dark brown |
| | AT anthracite | AT anthracite | earth |
| | SE mustard | SE mustard | arctic |
| | SI silica | SI silica | taupe |
| | DO dolomite grey | DO dolomite grey | |
| | AL clay | AL clay | |
| | MK moka | MK moka | |
| | CZ light blue grey | CZ light blue grey | |
| | SA sand | SA sand | |
| | RU ruby | RU ruby | |
| | PX pewter colour | PX pewter colour | |
| | RX copper | RX copper | |
| | TO dove grey | TO dove grey | |
| | PR petroleum blue | PR petroleum blue | |
| | BG burgundy | BG burgundy | |
| | LS london sky | LS london sky | |
| | SU stardust | SU stardust | |
| | ML moonlight | ML moonlight | |
| | SP spice | SP spice | |
| | PG pine green | PG pine green | |
| | AW almond white | AW almond white | |
| | CP cappuccino | CP cappuccino | |
| | IX iris | IX iris | |
| | FG forest green | FG forest green | |
| | DB dark blue gray | DB dark blue gray | |
| | OY oz yellow | OY oz yellow | |

DATASHEET

REGISTERED
DESIGN

2025

VANITY



FILLERS AND OPENING SIDE TRIMS

Horizontal filler

The filler is supplied in two parts, one part to be fixed to the ceiling to which the other will be hooked on (see diagram below).

The distance of the filler from the door is the client's decision.

In the cartapaglia finish, the grain direction is always vertical.

In the wood, lunar, glaze, 3D lacquer finish, the grain is always horizontal.

Vertical filler

The vertical filler can be placed flush with the structure or the door.

This detail must be specified in the order to prepare the side panel (see example).

If this detail is not specified when placing the order, the filler will automatically be placed flush with the structure and the side panel will have the extension profile.

Opening fillers

Can be made with START and "A FILO" door. For handles, consider surcharge.

Always have the 155° hinges.



Are the same height as the other doors in the composition.

Have a closing strip on their lower part.

In the wood finish, the grain direction is always vertical.


45—
67

Horizontal filler side sections




Vertical filler horizontal sections


Flush with structure




Flush with door



Set back



Opening filler horizontal sections



DATASHEET

REGISTERED
DESIGN

2025

LIGHTING SYSTEM

Lighting bars with front LEDs
Internal compartments of Gliss Master wardrobes can be equipped with front LED lighting. The lighting bar can be applied to lids or to wooden, transparent glass and Eco Skin shelves, wood and glass shoe rack shelves. Using the electrified wire strip installed on the side (wood, frame or glass), the shelf can be moved. For each compartment length, we have make specific lighting bars with wiring compliant with European safety standards. A wire strip is not needed if the compartment only has lighting on the top piece. **Lighting bars can be reduced with a surcharge for the shelf cutting.**

Horizontal and vertical LEDs cannot be used for the same composition.

Notes
When placing the order, the customer must indicate how many shelves with lighting bars are required.
For assembly: a lighting system on wardrobe with hinged doors requires a minimum extra height of 2,5 cm (1").
The height can be reduced to 15 mm by inspection on top cod. PAISPC01 (see page 33 price list).
Individual wire strip is always installed on the left side panel of the compartment, with the exception of corner units for walk-in wardrobes and of the compartment next to the corner unit.
When ordering, indicate compartments with wire strip.
The electrified wire strip is mandatory for wardrobes with wooden sides and glass back.


Molteni & C

46—
67

| | | | | | | | | |
|--------------------------|-------------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------------------|--------------------------------|
| lighting bars 2700° K | W 380 2,5 watt | W 462 3 watt | W 626 4 watt | W 790 5 watt | W 954 6 watt | W 1282 8 watt | open corner element 8 watt | external corner unit 7 watt |
| | EBI2C | EBI4C | EBI6C | EBI8C | EBI9C | EBI13C | EBA13C | EBB6C |


components per system
(see the diagram for component use and to calculate system cost)

power supply unit 100W




EAL1

sensor




ESE1

electrified wire strip




ECA1

connector (1 for 2 power supply units)




EC01

radio control kit with brightness setting (1 per power supply unit)





EKRR1

power supply unit block 100W with watertight box for wardrobe with glass top




EAB1

position of bar and wire strip on wooden partitions



position of bar and wire strip on glass partitions



DATASHEET

REGISTERED
DESIGN

2025

LIGHTING SYSTEM



System construction diagram

A composition (wardrobe) can be equipped with more than one system and more than one power supply unit. The system with sensor must be autonomous from the system with remote controlled electrical socket.

system type
with sensors
or remote control

system with sensor or remote control + channel

system with sensor or remote control
(not for use with glass backs)
suggested for wardrobes with doors and bars positioned
only on the top piece



★ each power supply unit can power a max. of 100W or:
max 6 sensors
max 6 channels

| | | |
|---|---|---|
| power supply unit * | ● | ● |
| connector (2 power supply units max.) | ● | ● |
| wire strips on lateral pieces (1 per compartment) | ● | |
| sensor (1 per compartment) (optional) | ● | ● |
| radio remote control (1 per power supply unit) (optional) | ● | ● |

DALI kit
(for DOMOTICA)
n. 1 for each power supply unit
cannot be used with
radio remote control



EKDA1

SMART INTERNAL FITTINGS

Clothes rails

For use only with wood shelves.
Black finish.
Supplementary cost for cut in width.

Drawer units

Floor-standing or wall-mounted drawer units with drawers H 190 mm equipped with handles in black finish.
2, 3, and 4 drawer versions cannot be modified.
The drawer units are not stackable. In the event that requirements are different, use standard modular drawer units.
The width of the drawer units can be reduced for a surcharge:

Clothes rails

Clothes rail for corner
element with doors



W 298 W 380 W 462 W 626 corner
PP/03 PP/02 PP/04 PP/06 external PPB/06 W 790 W 954 W 1282
PP/08 PP/09 PP/13




PPA/06

Clothes rails


Clothes rails for D 435

To mount on wooden shelves or
top only with hinged door
1 piece on compartment W 626 / 790
2 pieces on compartment W 954 / 1282



PPQ/04

Clothes rails for open corner element



W 543 W 723 W 1081 W 1262
PPA/05 PPA/07 PPA/11 PPA/13

Drawer units
floor standing
or suspended

H 420
2 wooden drawers H 190



W 462 W 626 W 790 W 954 W 1282
CNT4/04PB CNT6/04PB CNT8/04PB CNT9/04PB CNT13/04PB

Drawer units
floor standing
or suspended

H 612
3 wooden drawers H 190



W 462 W 626 W 790 W 954 W 1282
CNT4/06PA CNT6/06PA CNT8/06PA CNT9/06PA CNT13/06PA


Drawer units
floor standing
or suspended

H 804
4 wooden drawers H 190



W 462 W 626 W 790 W 954 W 1282
CNT4/08PA CNT6/08PA CNT8/08PA CNT9/08PA CNT13/08PA

“Smart” handle



DATASHEET

REGISTERED
DESIGN

2025

SMART INTERNAL FITTINGS

Vertical Internal LED Lighting

The vertical illumination can only be used on central or lateral wooden side panels.
Cannot be used with GLASS, SISTEMA 7 and LINEAR doors.
Horizontal and vertical LEDs cannot be used in the same composition.
LED bars can be reduced without a supplementary charge.

In the case of hinged doors with a lighting system, a minimum space measuring 3,5 cm in height is required. The height can be reduced to 15 mm by inspection on top cod. **PAISPC01**.

Only 220V - Certifications CEE

2700° K

Vertical LED bars


H 2343
16 watt

H 2439
17 watt

H 2631
18 watt

H 2919
20 watt

Side section with position



EVBA23

EVBA24

EVBA26

EVBA29


Specific components for systems with vertical LEDs

Power supply units
50 watt, 75 watt, 100 watt

Sensor

Connector
(1 for power supply unit)

Remote control with dimmer
1 per power supply unit



EVAL050

EVAL075

EVAL100



EVSE1




EVCO1



EVRA1

Diagram of LED lighting system



Components

- LED bar, 1 or 2 per compartment
- power supply unit, 1 or 2 per wardrobe depending on total wattage
- connector, 1 per power supply unit
- optional remote control, in the absence of a controlled socket
- optional sensor, in the absence of a controlled socket

DATASHEET

REGISTERED
DESIGN

2025

INTERNAL ACCESSORIES


Aircub is an air purifier and aroma diffuser that eliminates up to 95% of the harmful agents inside wardrobes through a process of ionisation and ozonation. Aircub can be managed easily from your smartphone with a dedicated app. Aircub can be installed on the back panel of each compartment. Just plug it into the electrical socket and turn it on. Every Aircub has a single plug.

Up to 3 Aircubs per wardrobe can be installed using the specific multi-socket connector.

Information about Aircub is available on the website <https://www.puricraft.com/>

Aircub - air purifier

W 270 D 28 H 120
W 10 5/8" D 1 1/8" H 4 3/4"
(cable length L3m)



EAC1

product advdoorges



- improves air quality
 - reduces bacteria that cause foul odours
 - prevents mould and mites from forming
 - dispenses fragrance
 - does not have filters that require maintenance or changes
 - includes n.1 fragrance pod
- Scented wafers can be ordered online:
<https://www.puricraft.com/> in the shop section.

multi-socket connector

cable length 3m
W 250 D 60 H 40
W 9 7/8" D 2 3/8" H 1 5/8"



EAC2



**For correct function it is advisable
to position the Aircub at the centre
of the compartment**

Molteni & C

50 —
67


DATASHEET

REGISTERED
DESIGN


2025

INTERNAL FITTINGS

Internal fittings with wooden sides




Internal fittings with frame or glass sides



- 1** Shelf th 30 mm (wood, glass, Eco Skin)
- 2** Clothes rail
- 3** Modular drawer unit only for wooden sides and backs
- 4** Trouser holder
- 5** Central divider piece th mm 30 only for compart. with wooden sides and backs
- 6** Swivel pull-out mirror only for compart. with wooden sides and backs
- 7** Sweater and shirt holder module only for wooden sides and back panels
- 8A** Inclined shoe rack shelf only for wooden sides and backs
- 8B** Horizontal shoe rack shelf only for frame sides, glass sides or glass back
- 9** Pull-out shirt holder only for wooden sides and backs
- 10** Floor standing drawer unit only for compart. with frame or glass sides
- 11** Suspended drawer unit only for compart. with frame or glass sides

Section of internal fittings



DATASHEET

REGISTERED
DESIGN

2025

SOFT LINE INTERNAL FITTINGS

- The SOFT LINE equipment can be used in units with frame, glass and wooden side panels and with all types of backs.
- In case of application on the glass/frame side panels, the special metal profiles PST/PSV must be used. These are not included in the price of the trays.
- The pull-out frames of the SOFT LINE equipment cannot be combined with modular drawer units.
- **No reductions of any kind are possible.**


Notes

The SOFT LINE equipment should not be used:

- in corner units
- in units close to corner elements in wardrobes with doors
- in units closed by overlapping sliding doors.

Molteni & C

52—
67





1 Pull-out frame with Eco Skin bottom / with Eco Skin bottom and internal grid

2 Pull-out frame with Eco Skin sack

3 Trouser holder pull-out frame

The positioning of the pull-out frames is always at 96 mm intervals (see example)



DATASHEET

REGISTERED
DESIGN

2025

SOFT LINE INTERNAL FITTINGS


Finishes of pull-out
frame, internal grid and
trouser holder bars
bronze
pewter colour
iris

Finishes of bottoms
and Eco Skin sack
grey
mink
hemp
ivory
dark brown
earth
arctic
taupe


Molteni & C

53—
67


Pull-out frame with Eco Skin bottom




Pull-out frame with Eco Skin bottom
and internal grid



Internal aluminium grid th 5 mm




Trouser holder pull-out frame



W 626 : max **8** bars
W 790 : max **11** bars
W 954 : max **14** bars

Pull-out frame with Eco Skin sack




DATASHEET

REGISTERED
DESIGN

2025

INTERNAL FITTINGS


wood shelves - top shelves (only D 538)
D 538 th 30
D 378 th 30



| | | | | | | |
|-------|-------|-------|-------|-------|-------|--------|
| W 298 | W 380 | W 462 | W 626 | W 790 | W 954 | W 1282 |
| RI/3 | RI/2 | RI/4 | RI/6 | RI/8 | RI/9 | RI/13 |

shelf for external corner unit
th 30

shelf for open corner element
th 30



| | |
|-----------|-----------|
| 1081x1081 | 1262x1262 |
| RIA/11 | RIA/13 |

glass shelves can be fitted with front LED light bars and comply with the wiring standards specified on pages 142/143 price list

transparent glass shelves
D 538 th 30
D 378 th 30

not for use in compartments adjacent to the corner element in wardrobes with doors




| | | | | | |
|-------|-------|-------|-------|-------|--------|
| W 380 | W 462 | W 626 | W 790 | W 954 | W 1282 |
| RV/2 | RV/4 | RV/6 | RV/8 | RV/9 | RV/13 |

shelf for external corner unit
th 30

559x559
RVB/6

Eco Skin shelves can be fitted with front LED light bars and comply with the wiring standards specified on pages 142/143 price list

Eco Skin shelves - shelves with Eco Skin cover (only D 538)
D 538 th 30
D 378 th 30




| | | | | | | |
|-------|-------|-------|-------|-------|-------|--------|
| W 298 | W 380 | W 462 | W 626 | W 790 | W 954 | W 1282 |
| RE/3 | RE/2 | RE/4 | RE/6 | RE/8 | RE/9 | RE/13 |

shelf for external corner unit
th 30

559x559
REB/6

Eco Skin shelf for open corner element
th 30



| | |
|-----------|-----------|
| 1081x1081 | 1262x1262 |
| REA/11 | REA/13 |


When ordering, specify the finish Eco Skin and profile

terminal element shelf
W 462 D 365/533 th 30



RIT/4

corner shelf
W 622 D 622 th 30




RIA/6

metal profile
for shelves beside the corner but not adjacent to shelves RIA/6

PSA


mandatory to cover drawer units W 1282 with single drawer

reinforced shelves
D 538 th 30



top
W 1282
RR/13

reinforced Eco Skin shelves
pewter colour, bronze or iris front profile
D 538 th 30



top
W 1282
RRE/13


Shoe rack shelves

Shoe rack shelves can be used with wood sides and with frame or glass sides. When inserted between wood sides, this part will always be inclined (example 1). When there are frame or glass sides, this part will always be horizontal (example 2).


Notes

To hook to the frame or glass sides, add the price of the relative metal profiles.

example 1




shoe rack shelves
D 538 th 30




| | | | | |
|-------|-------|-------|-------|--------|
| W 462 | W 626 | W 790 | W 954 | W 1282 |
| RSP/4 | RSP/6 | RSP/8 | RSP/9 | RSP/13 |


example 2



example 1



shoe rack shelves
D 368 th 30



| | | | | |
|-------|-------|-------|-------|--------|
| W 462 | W 626 | W 790 | W 954 | W 1282 |
| RQP/4 | RQP/6 | RQP/8 | RQP/9 | RQP/13 |

metal profile for attaching shelves to frame side



PST

metal profile for attaching shelves to glass side



PSV

metal profile for attaching shelves with LEDs to frame side
(always on the left, except in corner shelves)



PSE

DATASHEET

REGISTERED
DESIGN

2025

INTERNAL FITTINGS

clothes rails

| | | | | | | | |
|-------|-------|-------|-------|-----------------------------|-------|-------|--------|
| W 298 | W 380 | W 462 | W 626 | for external corner unit | W 790 | W 954 | W 1282 |
| P0/3 | P0/2 | P0/4 | P0/6 | P0B/6 | P0/8 | P0/9 | P0/13 |

clothes rail for
corner compartment
with doors

| |
|-------|
| P0A/6 |
|-------|

**clothes rail
for D 435**
to mount on wood shelves or
top only with hinged doors
nr. 1 piece on compartment W 626/790
nr. 2 pieces on compartment W 954/1282




P0Q/4

clothes rails
for open corner
compartment

| | |
|----------------------------------|--------------------------------------|
| W 543 W 723 P0A/5 P0A/7 | W 1081 W 1262 P0A/11 P0A/13 |
|----------------------------------|--------------------------------------|

pull-out coat hanger rail
for melamine shelf (without profile) th 30




OP7

**hanger
W 450**
beech stained grey
(package of 10 pieces)



OP10


**hanger with clips
W 450**
beech stained grey
(package of 3 pieces)



OP11


Maximum
load-bearing capacity
10 kg

pull-down hanger
H mm 1040
for compart. W 626




SER/6

for compart. W 790




SER/8

for compart. W 954



SER/9

for compart. W 1282



SER/13

When ordering, specify
the finish of the front profile:
pewter colour, bronze or iris



**floor standing
central divider pieces**
D 538 th 30

| | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|
| 390 | 582 | 774 | 966 | 1158 | 1350 | 1542 | 1734 |
| SDT/04 | SDT/05 | SDT/07 | SDT/09 | SDT/11 | SDT/13 | SDT/15 | SDT/17 |

Glass shoe rack shelves
Shoe rack shelves in glass can be used only with wood sides.

Notes
No reductions of any kind are possible.

glass shoe rack shelves
D 520 th 30



| | | |
|----------------|----------------|------------------|
| W 790 RSW/8 | W 954 RSW/9 | W 1282 RSW/13 |
|----------------|----------------|------------------|

GLASS LID FOR CHEST OF DRAWERS

To be used only in compartments with wooden sides
Modular chests of drawers can be made with a transparent glass lid in the module widths 790/954/1282.
It is mandatory that the first drawer be H 190 in wood (special measure).
Drawer dividers cannot be inserted in the first drawer.
The top can be fitted with a LED lighting bar, but it cannot be connected to the cable holder.
The connection to the power cord has to pass behind the back panel.
Eco Skin bottoms in grey can be inserted.

Lid profiles
bronze
pewter colour
iris

Molteni & C




W 790
CSV/08

W 954
CSV/09

W 1282
CSV/13

56—
67

Example of use



canvas-covered boxes
with Molteni logo

W 500 D 400 H 150
(package of 2 pieces)

W 500 D 400 H 300
(package of 2 pieces)



CES1



CES2

DATASHEET

REGISTERED
DESIGN

2025

INTERNAL FITTINGS


Pull-out shirt holder
only for use in compartments with wooden sides

These units can be positioned on the floor-standing drawer units or suspended over a drawer H 190 of the same dimensions as the shirt unit (see ex. 1).

Notes
Do not use for compartments with glass back.

Finishes
The tray set on top of the shelf is always finished in melamine in the same finish as the structure with Eco Skin bottom grey finish.
The shirt holder grid is always dolomite lacquered.


example




When ordering,
specify the finishes of
the trays set on shelves
and the shirt holder grid

for compartment
W 954
including resting shelf

for compartment
W 1282
including resting shelf



BPC9/03/1



BPC13/03/1


Internal fittings - sweater and shirt holder module

Fixed elements to be used resting on shelves or chests of drawers.

In the compartments indicated with ■ it is possible to insert the Swisskubik Masterbox automatic watch winding devices (rotors).


sweater and shirt holder
module

W 625 D 378 H 354



BG06/03/1


W 789 D 378 H 354



BG08/03/1


sweater and shirt holder
module

W 953 D 378 H 354



BG09/03/1

W 1281 D 378 H 354



BG013/03/1

watch winder
Masterbox of Swisskubik


W 100 D 100 H 100



BGC01

INTERNAL FITTINGS

Procedure for using the swivel pull-out mirror



Molteni & C


58 —
67

mirror
applied to inside of
hinged door
W 315 H 1600 th 4

swivel pull-out mirror
to be applied onto the side,
partition or central divider pieces
D 555 H 1443 th 90





SPECH



SPECS/17

plan
view

rotated



DATASHEET

REGISTERED
DESIGN

2025

CAVE handle

Internal fittings - modular drawers and trays

Notes
The parts of this internal fittings are produced with width and height dimensions corresponding to the modular compartments. This makes it possible to organise the internal spaces in a number of ways. To correctly and quickly determine the internal fittings, some of the possible compositions are in the following pages.
When ordering, specify the handle finish as pewter colour, bronze or iris.

For the CAVE handle covered in Eco Skin, add a supplementary charge each

No reductions of any kind can be made on drawers, trays and pairs of side panels.

The pairs of side panels p. 153 price list or structures p. 154 price list are necessary for inserting all the elements. Compositions must be completed with an upper shelf (p. 133 price list) or glass cover p. 139 price list.

Warnings on using compartments adjacent to the corner element
It is impossible to use trouser or trinket trays (used individually).

Wood and open drawer finishes

Front:
- melamine structure
- piqué
- matt lacquer colours
- wood
Inside:
- saffiano grey melamine





Items available

Wooden drawers

Open drawers
only lower handle

Handle finishes:
pewter colour
bronze
iris



Upper handle



416 - 580 - 716 - 880 - 1208
16 3/8 - 22 7/8 - 28 1/4 - 34 5/8 - 47 1/2

416 - 580 - 716 - 880 - 1208
16 3/8 - 22 7/8 - 28 1/4 - 34 5/8 - 47 1/2

Lower handle



416 - 580 - 716 - 880 - 1208
16 3/8 - 22 7/8 - 28 1/4 - 34 5/8 - 47 1/2

CAVE handle

Trouser holder/laundry sack tray finishes
Front:
- melamine structure
- piqué
- matt lacquer colours
- wood
Internal frame:
- saffiano grey melamine with trouser rods
painted in textured saffiano grey

Laundry sack:
- natural ecru cotton


Trinket tray finishes
Front:
- melamine structure
- piqué
- matt lacquer colours
- wood
Internal frame, bottom, and grid:
- saffiano grey melamine

Pull-out shelf finishes
Front:
- melamine structure
- piqué
- matt lacquer colours
- wood
Surface and back:
- saffiano grey melamine

Molteni & C



60—
67

Trouser holder
only upper handle




N.B.: usable only with suspended side panels
as the bottom piece

Trinket trays (tie and belt)
with internal grid
only upper handle




internal tray dividers

Pull-out trays
only lower handle



Tray laundry sack
only upper handle



if the tray is
suspended
as a lower element
consider (●)

HOLD handle

Internal fittings - modular drawers and trays

Notes
The parts of this internal fittings are produced with width and height dimensions corresponding to the modular compartments. This makes it possible to organise the internal spaces in a number of ways. To correctly and quickly determine the internal fittings, some of the possible compositions are in the following pages.
The pairs of side panels p. 153 price list or structures p. 154 price list are necessary for inserting all the elements. Compositions must be completed with an upper shelf (p. 133 price list) or glass cover p. 139 price list.
When ordering, specify the handle finish as pewter colour, bronze or iris.

No reductions of any kind can be made on drawers, trays and pairs of side panels.

Warnings on using compartments adjacent to the corner element
It is impossible to use trouser or trinket trays (used individually).

Wood drawer finishes
Front:
- melamine structure
- piqué
- matt lacquer colours
- wood
- fine grain with pewter colour, bronze or iris profile
- BLEND fabric with pewter colour, bronze or iris profile
Inside:
- saffiano grey melamine

Glass drawer finishes
Front:
- transparent glass with pewter colour, bronze or iris frame
Inside:
- saffiano grey melamine

Open drawer finishes
Front:
- melamine structure
- piqué
- matt lacquer colours
- wood
Inside:
- saffiano grey melamine

Items available

| Wooden drawers | Glass drawers | Open drawers |
|---|--|--|
| HOLD handle (pewter colour, bronze or iris finish) | | |
| <div><div>126 4"</div><div><div></div><div></div></div><div>• •</div></div> | | <div><div>126 4"</div><div><div></div><div></div></div><div>• •</div></div> |
| <div><div>190 7 1/2"</div><div><div></div><div></div></div><div>• • •</div></div> | <div><div>190 7 1/2"</div><div><div></div><div></div></div><div>• • •</div></div> <div>416 - 580 - 716 - 880 - 1208 16 3/8"-22 7/8"- 28 1/4"- 34 5/8"- 47 1/2"</div> | <div><div>190 7 1/2"</div><div><div></div><div></div></div><div>• • •</div></div> <div>61 2 3/8"</div> |
| <div><div>382 15"</div><div><div></div><div></div></div><div>• • • •</div></div> <div>416 - 580 - 716 - 880 - 1208 16 3/8"-22 7/8"- 28 1/4"- 34 5/8"- 47 1/2"</div> | | <div><div>382 15"</div><div><div></div><div></div></div><div>• • • •</div></div> <div>61 2 3/8"</div> <div>416 - 580 - 716 - 880 - 1208 16 3/8"-22 7/8"- 28 1/4"- 34 5/8"- 47 1/2"</div> |

HOLD handle

Trouser holder/laundry sack tray finishes

Front with pewter colour, bronze or iris profile:
- melamine structure
- piqué
- matt lacquer colours
- wood
- fine grain
- BLEND fabric
Internal frame:
- saffiano grey melamine with trouser rods
painted in textured saffiano grey

Laundry sack:
- natural ecru cotton

Trinket tray finishes

Front with pewter colour, bronze or iris profile:
- melamine structure
- piqué
- matt lacquer colours
- wood
- fine grain
- BLEND fabric
Internal frame, bottom, and grid:
- saffiano grey melamine


Pull-out shelves finishes

Front:
- melamine structure
- piqué
- matt lacquer colours
- wood
Surface and back:
- saffiano grey melamine



HOLD handle
(pewter colour, bronze
or iris finish)




Trouser holder




Trinket trays (tie and belt)
with internal grid



Pull-out trays




Tray
laundry sack



EXAMPLES OF COMPOSITE DRAWER UNITS WITH CAVE HANDLE

Melamine faced drawers have upper and lower handles.
Trouser holder and trinket trays always have an upper handle;
pull-out trays and open drawers always have a lower handle.


Melamine drawers
H 126/190/382




Trouser holders/trinket trays/laundry sack tray



Pull-out trays



Open drawers




INTERNAL FITTINGS - ACCESSORIES FOR DRAWERS

Leather trays
Handmade leather trays with Alcantara bottom.
The version for men is brown (cat. P col. D533),
The version for women is powder pink (cat. P col. D524).

Eco Skin bottoms
Made with grey coloured Eco Skin.


leather trays
men's drawers
W 206 D 430 H 58 (A)
W 206 D 215 H 58 (B)

watch holder
(A)



CEV/MA1

watch/
bracelet holder
(A)




CEV/MA2

jewellery holder
with movable dividers
(B)



CEV/MB1


**complete men's
drawer offer**



CVM1


leather trays
women's drawers
W 206 D 430 H 58 (A)
W 206 D 215 H 58 (B)

watch holder
(A)



CEV/WA1

watch/
bracelet holder
(A)



CEV/WA2

jewellery holder
with movable
dividers
(B)



CEV/WB1

ring holder
(B)




CEV/WB2

earring holder
(B)



CEV/WB3


**complete women's
drawer offer**



CVW1


**Modularity drawings
for inserting trays into
drawers**

drawer W 416




1 tray (A)
or 2 trays (B)

drawer W 580




2 trays (A)
or 4 trays (B)

drawer W 716




3 trays (A)
or 6 trays (B)

drawer W 880



4 trays (A)
or 8 trays (B)

drawer W 1208



5 trays (A)
or 10 trays (B)

**Eco Skin bottoms
for drawers**
D 432/473 special for 1st drawer with glass lid



W 366
CEQ/F4

W 530
CEQ/F6

W 666
CEQ/F8

W 830
CEQ/F9

W 1158
CEQ/F13

ISLAND DRAWER UNIT



Two versions are available: with or without trinket trays in dolomite lacquer. Shelves in Eco Skin are available in colours in the catalogue. Standard handles are mounted in pewter colour, bronze or iris finish. For the CAVE handle covered in Eco Skin, add a supplementary charge each.

- version with trinket trays**
- Side A has 6 drawers H 190 and 2 extractable trinket tray blocks.
 - Side B has 4 drawers H 190 and and lower open compartments.

- version without trinket trays**
- Side A has 6 drawers H 190 and upper open compartment.
 - Side B has 4 drawers H 190 and and lower open compartments.


Dimensions of the island cannot be reduced, and the compositon cannot be modified.

Only for HOLD handle
It is possible to substitute the melamine drawers with glass drawers by adding the difference in price from **CLN8/19** and **CVN8/19**.
The melamine faced drawers can be replaced with drawers in other finishes using the price difference of code **CLN8/19** finishes.



Drawer unit

Standard handles are mounted, in pewter colour, bronze or iris finish.



ISLAND WITH GLASS TOP

Island with glass top

Island finishes
silver cembran
larix dark
light chestnut
dark chestnut
matt lacquer colours in the Molteni colour range



Handles / top profile finishes
pewter colour
bronze
iris

No reductions of any kind are possible



For the CAVE handle covered in Eco Skin, add a supplementary charge each.

Notes
The divider grids are specific for upper drawers.
If dividers are desired in the other drawers,
use those shown on pages 159/162 of the price list.

island with glass top
W 1272 D 1022 H 864
W 50 1/8" D 40 1/4" H 34"



island with glass top
W 1498 D 1022 H 864
W 59" D 40 1/4" H 34"





accessories
for upper drawer

partition grid
grey saffiano
W 666 D 443
W 26 1/4" D 17 1/2"

W 1158 D 443
W 45 5/8" D 17 1/2"

Eco Skin bottom
grey
W 666 D 443
W 26 1/4" D 17 1/2"

W 1158 D 443
W 45 5/8" D 17 1/2"



ISLAND WITH TRANSPARENT GLASS DOORS

Island that can be created with structure in transparent glass and horizontal parts in wood. Shelves are in wood except for those indicated (*) which are always in glass.

The island cannot be reduced or modified with respect to the versions in the price list.



Structure finish
pewter colour
bronze
iris

Base unit / top / shelf finishes
eucalyptus
graphite oak



H 880 - 34 5/8"
with top
D 1000 - 39 3/8"

W 1673 - 65 7/8"

W 2001 - 78 3/4"



ISV16/08



ISV20/08

The island is available with or without LED lighting applied on all shelves and tops as shown. The system includes the cable holders and power supply units that enable it to work with a remote control.

front

back

