

# Molteni & C

## HORIZONS — DANTE BONUCCELLI 2020

1—  
4



With Horizons, the movable unit for the living area, Dante Bonuccelli presents a different way of containing and displaying precious objects. Two pivoting doors breathe life into an object that changes like a chameleon. When closed, the doors reveal the objects through the glass and internal LED lighting. When open, they rest against the sides of the structure for full access to the interior. Fine details within include the two suspended drawers and upper shelf that divides the space, enriched with the marble back panels. The glass doors are available with or without wood glazing bars. These consist of horizontal, asymmetrically arranged profiles, almost creating a 'shed' that only partially shows the interior, increasing curiosity about its contents. Designed as a sideboard for the dining room, with useful accessories such as a cutlery tray and the drawer bottom in eco skin, or as a display cabinet for valuable objects.

### DATASHEET

REGISTERED  
DESIGN

2026

[moltenigroup.com](http://moltenigroup.com)

Dimensions in centimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## FINISHES

<b>finishes</b>	graphite oak/ coffee oak	calacatta/ Sahara noir marble	pewter colour	transparent stopsol glass	ivory Eco Skin
<b>components</b>					
structure/drawers/pull-out shelf	●				
additional back panel		●			
internal support shelf		●			
door	frame		●		
	horizontal slats	●			
	glass			●	
base			●		
drawer bottom Eco Skin (optional)					●
internal drawer dividers	●				

Molteni & C


2—  
4

## NOTES


- No reductions are available, and no modifications can be made with respect to types in the price list.
- The unit always includes 2 drawers and a lighting system with a remote controlled socket.
- The lighting system can have two other switch systems (optional): a wireless radio-controlled dimmer unit or a Casambi control unit.
- The base is equipped with a patented mechanism for opening doors, and a tray that contains the electrical system.
- Internal drawer measurements: W 108,8-42 7/8" D 37,75-14 7/8" H 9,9-3 7/8"
- The internal support shelf is always equipped with a schuko socket positioned as described on p. 4.




The product is available with other kinds of stone in **matt finish**, present in the Molteni&C collection, subject to feasibility and price request. For more information please contact the Sales Office.




measurements with doors open



plan - doors closed



plan - doors open



plan - measurements

## DATASHEET

REGISTERED  
DESIGN

2026

## TECHNICAL INFORMATION

### STRUCTURE AND DRAWERS

Chipboard panel covered with sliced wood veneer Oak (Quercus).

### INTERNAL ADDITIONAL BACK PANEL

In marble.

### TOP

In marble with water-repellent stain resistant treatment or chipboard panel covered with sliced wood veneer oak (Quercus).

### GLASS DOORS


Glass doors with frame in painted extruded aluminium, horizontal slats in extruded aluminium covered with sliced wood veneer Oak (Quercus). Tempered transparent stopsol glass.

### BASE WITH MECHANISM

Painted metal with parts for mechanisms in other materials.

3—

4



### DATASHEET

REGISTERED  
DESIGN


2026

HORIZONS—  
DANTE  
BONUCELLI  
2020


## DIMENSIONS

**Cupboard with additional back  
and support shelf in marble**  
H 155 - 61" W 130 - 51 1/8" D 59,5 - 23 3/8"

MH15/13C



MH15/13D



Molteni & C

4—  
4

Drawer  
accessories


Drawer bottom  
in Eco Skin  
W 108,8 D 37,7  
W 42 7/8" D 14 7/8"

CEQ15/13




Internal drawer divider  
Type A  
W 54 D 37,1 H 9  
W 21 1/4" D 14 7/8" H 3 1/2"

CDI15/13A



Internal drawer divider  
Type B  
W 54 D 37,1 H 9  
W 21 1/4" D 14 7/8" H 3 1/2"

CDI15/13B



Accessories

Radio control kit  
with brightness  
setting  
(optional)

EKRR2



Casambi control unit  
(optional)

ECC1




### Electrical socket positioning

The internal support shelf  
is always equipped with a  
schuko socket  
(220V CE certification)  
(pewter colour finish)



I 1,8 with marble panel

For countries that use 110V current or where certifications  
other than CE certification are required, the shelf will be  
supplied without electrical socket and without processing



### DATASHEET

REGISTERED  
DESIGN

2026